



LPK 2523



Specifications

Engine type	Cummins 6BT 5.9L
Engine capacity (cc)	5883
Max engine output	215 kW at 2500 rpm
Bore / stroke	102 mm x 120 mm
Max engine torque	800 Nm at 1500 rpm
Emission norms	BSIII
TRANSMISSION AND STEERIN	IG
Clutch	380 mm, organic
Gearbox	Tata G 1150
No. of gears	9
Crawler	12.87
1st	9.13
2nd	6.72
3rd	4.9
4th	3.57
5th	2.55
6th	1.88
7th	1.37
8th	
Reverse	13.4
FRAME	
Туре	Ladder type heavy duty frame of channel section
Chassis	285 mm x 65 mm x 7 mm

Frame width	888 mm
SUSPENSION	
Front	Semi elliptical
Rear	Bogie 37 T
BRAKES	
Service brake	Dual circuit full air S-CAM brake
Brake area	7120 sq cm
Engine exhaust brake	Yes
WHEELS AND TYRES	
Tyre size	11.00 x 20-18PR (Mine lug)
Wheel rim	8 x 20
Rear axle	RA 109 - Single stage reduction
Rear axle weight	Front - 14T, Rear - 14T
Final drive ratio	6.14
Front axle	I Beam - 6T
DIMENSIONS	
Wheel base	3880
TCD	17000
Front track	1964
Rear track	1905
Ground clearance	F - 314, R - 235
Max. width (wt. body)	2592
Overall height (wt. body)	3205
Box body options (CBM)	16
Scoop body option (CBM)	14

WEIGHTS	
Max GCW	25000
Max. FAW	6000
Max. Raw	19000
PERFORMANCE	
Grade ability	45%, 31%
Top speed (kmph)	79
CABIN	
Cabin type	Fixed type non sleeper cab

For more information, please contact:

TATA MOTORS

International Business, One Indiabulls, Tower 2A, 14th Floor 841, S.B Marg, Elphinstone Road, Mumbai 400 013