

SS 1 litre Bottle Diffuser

RECHARGE / CLEAN DIFFUSR

- Test the results of the diffuser every 6 months with pH & ORP testing liquids included in the box.
- When low or no results are found, follow the process of recharging the diffuser with the reduction cleaner included in the box.

RECHARGE INSTRUCTIONS

Please read the 'Recharge/clean diffuser section before following the steps below.

- Fill about 400 ml of water in an open bowl, add 10 gms of reduction cleaner.
- Take the diffuser & submerge in the solution completely.
- Leave it for 5-10 minutes.
- Put the diffuser back in the bottle and pass 500ml of purified water through it.
- The diffuser is once again ready for providing optimum results.

AAA + Mineralising Bottle

Bio+ Bottle Diffusers converts purified water, which usually has an acidic pH, positive ORP, (Oxidizing Water) & lacks in minerals into Alkaline pH, negative (-)ORP & mineral enriched (Ca, Mg, K, NaCI) Water.

EABLEAP

REF

Bio+ AAA Bottles gives out water that works as a counter measure for the acidic intakes, pollution and is beneficial for human health.

SPECIFICATIONS

• Size (mm)	: 280 height x 38 diameter
• Life	: 2000 liters
 Material 	: Stainless steel (304)
• Weight	: 147 grams
• pH value (pH)	: upto 9.5
• ORP (mv)	: upto -250





NSF certified

 \odot

🦻 ICL

BIOTECH INDUSTRIES



W. biopluswater.in | Toll Free No. 1800 313 1983