



## TELECOMMUNICATIONS

### INDUSTRIAL (EXTRUDED PRODUCTS)

Section	<b>INDUSTRIAL</b>				
Commodity	<b>TELECOMMUNICATIONS</b>				
Technique	Extrusion				
GRADE SERIES/ TEMPER	<b>Grade (USA)</b>			<b>Temper (USA)</b>	
	1000 Series – 1050/1060, 1100, EC, 2000 Series - 2014, 3000 Series – 3103. 5000 Series - 5052, 5086 6000 Series - 6101, 6063, 6061, 6351/6082, 6055 7000 Series – 7075			O, F, T <sub>3</sub> , T <sub>4</sub> , T <sub>5</sub> , T <sub>6</sub> , H21, H22, H24, H26, H28, H1, H32, H34, H36, H38	
Size	<b>Key</b>	<b>Min</b>	<b>Max</b>		
	<b>As Per Customer Request Against Drawing or Sample</b>				
Length	1000 to 3650mm				
FINISH	Mill Finish				
PACKAGE	HDPE – SEA WORTHY PACKING				
APPLICATION	Aluminum alloy conductors are used for communication cables. The aluminum-iron-magnesium is a great conductor and currently used in some applications in the cable industry. In addition, because aluminum is such a light metal, it makes its application easier and more cost effective.				