|                      | MISC   | JS (EXTRUDE |     | TS)  |  |  |
|----------------------|--|-------------|-----|--|--|--|
| Section              | GENERAL  |             |     |  |  |  |
| Commodity            | GENERAL MISCELLANEOUS  |             |     |  |  |  |
| Technique            | Extrusion  |             |     |  |  |  |
| GRADE SERIES/ TEMPER | Grade (USA)<br>1000 Series – 1050/1060, 1100, EC,<br>2000 Series - 2014,<br>3000 Series – 3103.<br>5000 Series - 5052, 5086<br>6000 Series - 6101, 6063, 6061,<br>6351/6082, 6055<br>7000 Series – 7075        |             |     | <b>Temper (USA)</b><br>0, F, T <sub>3</sub> , T <sub>4</sub> , T <sub>5</sub> , T <sub>6</sub> ,<br>H21, H22, H24, H26, H28, H1, H32,<br>H34, H36, H38 |  |  |
| Size                 | Кеу  | Min         | Max |  |  |  |
|                      | Α  | 22          | 133 |  |  |  |
| <b>SILC</b>          | B 12 80  |             |     |  |  |  |
|                      | As Per Customer Request Against Drawing or Sample  |             |     |  |  |  |
| Length               | 1000 to 3650mm   |             |     |  |  |  |
| FINISH               | Mill Finish  |             |     |  |  |  |
| PACKAGE              | HDPE – SEA WORTHY PACKING  |             |     |  |  |  |
| APPLICATION          | It is soft and malleable. Aluminium is used in a huge variety of products including cans, foils, kitchen utensils, window frames, beer kegs and aeroplane parts. This is because of its particular properties. |             |     |  |  |  |