



# त्रिमूर्ति®

सुंदरता की पहचान



## Trimurti Wallcare Products

[www.trimurtiprducts.com](http://www.trimurtiprducts.com)



# Index

---

About us .....	01-02
Director's Message .....	03
Certifications & Awards .....	04-05
Media Coverages .....	06
Infrastructure .....	07
Gypsum Plaster .....	08-09
Wall Putty .....	10-13
One Coat Gypsum Plaster .....	14
Quick Bond .....	15
AAC Block Joining Mortar .....	16
Tile Adhesive .....	17
Tile Grout .....	20
Decorative White Cement .....	21
AAC Blocks .....	22
Premium Grey Cement .....	23
Ceiling Products .....	24-25
Our Clients .....	26







## About us

**"If one thinks about wall care products, the name, Trimurti, must flash through their minds."**

That was the vision with which Mr. Manik Gupta & Mr. Rahul Gupta laid the foundation of Trimurti in 2004. Since then we have come a long way. Over the course of more than 2 decades, we have, in fact, become the one-stop shop for Gypsum Plaster, Wall Putty, One Coat Gypsum Plaster, Quick Bond, Decorative White Cement, Tile Adhesive and Ceiling products. We are one of the leading manufacturers and exporters in India.

Trimurti has a competent workforce of skilled and talented people who make this company a well-lubricated single machine, that works efficiently to service its clients anytime and in any capacity. Trimurti has set its quality standards equivalent to the international Standards so that our consumers can get world-class products locally. Our focus has always been consumer-centric and we work relentlessly to make better living opportunities, homes, environment, and community. This approach and our corporate professionalism have given Trimurti exponential growth and created an enviable rapport among our clients which made us the most trusted and preferred brand among Builders, Architects, Interior Decorators, and Contractors.

Trimurti also invests in the research and development of its products. We make sure that innovation and creativity are not lost in our products and go hand in hand as suitable for our client's needs. Our research team always tries to find out the highest quality material and superior yet sustainable technologies to work with. After all, our products bring infrastructures a beauty that lasts.

Trimurti is an ISO 9001:2015 & 14001:2015 certified and I.S.I. accredited company. Trimurti has its headquarters in New Delhi with production facilities in Bikaner and Alwar, Rajasthan. Trimurti is active in more than a dozen regions of India including Punjab, Uttarakhand, Haryana, New Delhi, UP, Bihar, Assam, Rajasthan, Gujarat, Madhya Pradesh, Chhattisgarh, Karnataka and Maharashtra. Our first-rate portfolio of brands includes ATS, Delhi Development Authority, Hilton Hotels & Resorts, DLF, L&T, TAJ, DMRC, and many more.





## Mission

To keep a consistent growth in connecting with the people of India and become a one stop solution for all their wall care product requirements.

## Vision

To become India's global face of the best wall care products in the entire nation and take the Indian wall care products to the world stage with the trust of people in Trimurti.



# Director's Message



**Mr. Manik Gupta**

Director

Trimurti Wall Care Products  
Pvt. Ltd.

Our religious scriptures have a famous saying of “Vasudhaiva Kutumbakam” which means “The whole world is one family”, and that exactly is Trimurti’s vision here. When Trimurti treats the world as one family, it cares for it like its own. So, the products which Trimurti develops are not just the best but also sustainable. The vision helps Trimurti to hold its ground and still have no limits to its reach.

Trimurti started back in 2004 and a lot has changed since then but the core fundamentals have never changed. We believe in customer satisfaction as we are here for the long haul. If a customer is satisfied with Trimurti’s products, then and only then they are going to come back to us. And that satisfied customer is the best investment one can do to advertise their products. That’s why we focus strongly on understanding the needs of a customer because it might look that all the buildings you see are made from similar materials but it’s not the truth. Be it a Builder, Architect, Interior Decorator, or Contractor, every client has their own vision of their creation and we respect that. Hence, we dedicate a whole team of experts to deal with a particular client. It helps us understand them better and build trust.

One of the most important aspects of our working approach is to “Think Green”. Trimurti doesn’t work just for profit but for society as well. That is the reason we try to minimize the carbon footprint and chemical waste the industry creates. It starts with our choices of raw materials energy consumption low emissions and so on. We see to it that “Vasudhaiva Kutumbakam” is realized and protected.

There is a reason why we are called Trimurti. Trimurti in its pure sense is the triad of our supreme divinity Lord Brahma – The Creator, Lord Vishnu – The Preserver, and Lord Shiva – The Destroyer. And as we are in the construction industry, we treat these three with the utmost respect. Trimurti believes that the combination of these three divine powers is a necessity in the construction industry.

We start with the creation and focus that it should be beautiful and long-lasting but we also keep in mind that the destroying power of our nature is stronger so we put extra research and efforts to make our products strong enough to survive any situation.

Trimurti started with the idea of helping people create their own world, achieve their dreams, and most importantly create it beautifully. So, our products are not just strong and sustainable but it beautifies the overall structure. Who doesn’t want their homes, offices, hotels, highways, etc. to look like a masterpiece?

We also want our clients to receive the best product timely and without any discrepancy so we don’t only manufacture the said products but also export, distribute, and supply them all over the world. So that you get what you paid for and as quickly as possible. The exponential growth of our company in such a small duration has proven that until now our thoughts and approach are in the right place and our customers are happy. Our vision is to keep them happy and continue with the path shown to us by the divine trinity, i.e. Trimurti.



**Mr. Rahul Gupta**

Director

Trimurti Wall Care Products  
Pvt. Ltd.



# Certifications & Awards

Superior product quality is our first priority to us and we make no compromise whatsoever to achieve the same. Stringent quality tests are performed at various levels of production, supervised by competitive quality controllers. Under the shade of our well-equipped quality control unit, we make sure that not even a whisker is missed in quality checks, leaving no scope for errors to creep. We take pride in the fact that our products are **ISO 9001:2015 & 14001:2015 certified** and **ISI accredited** and that is what inspires us to walk an extra mile towards achieving greater heights of product quality.



**ISO 9001:2015**

The Quality Management System



**ISO 14001:2015**

The Environmental Management System



**Best Emerging  
Company of The Year**

Nation Wide Awards 2020





**Best P.O.P. & Wallputty  
Manufacturer in North India**  
Global Excellence Awards 2022



**Local For Vocal  
Atmanirbhar Bharat 2021**  
Dainik Jagran



**Certificate of Enlistment**  
Construction Industry Development Council



**Users Choice 2021**  
Just Dial



# Media Coverages

---



Trimurti offers impeccably exceptional wall care services to foster belief and reliance.

**Outlook**

Treating The World As One Big Family, Trimurti Cares For Your Walls As Much As You Do.



Trimurti, wall care products manufacturer, launching its new range of products.

**Business Standard**

Trimurti is one of the most recognised brands for manufacturing wall-care products.



Trimurti wall care products won the Best Emerging Company Award from Business Mint.



Trimurti has been pioneering in wall finishing products for the last two decades in India.



दिल्ली में आयोजित वॉल केयर प्रोडक्ट्स प्रदर्शनी में त्रिमूर्ति ने लांच किए कई नए प्रोडक्ट्स



दिल्ली में आयोजित वॉल केयर प्रोडक्ट्स प्रदर्शनी में त्रिमूर्ति ने लांच किए कई नए प्रोडक्ट्स



# Infrastructure

The company has grown rapidly in a short span of time with its headquarters in New Delhi. Keeping in mind the pros and cons, our infrastructure setup is a result of a well-engineered thought process. Our manufacturing unit is spread over a gigantic area of 15000 sq. mtrs. in Bikaner, Rajasthan, which is the heart of India's best raw gypsum mines. Also, we acquire another plant in the industrial area of Alwar to achieve more productivity in no time. It is an amalgamation of wide-area, top-class machines and well-equipped laboratories with industry professionals which ensure consistency in product quality in the required amount of production 24x7, 365 days of the year.

**15,000**  
**Sq. Mtrs**  
FINEST GYPSUM  
AREA IN BIKANER





## OUR PRODUCTS

# Gypsum Plaster

Trimurti Gypsum Plaster is a white powdery chemical compound called hydrated calcium sulphate that is usually obtained from calcining gypsum. In other words, we can say that the gypsum plaster is generally made up of heated gypsum at a high temperature.

Trimurti Gypsum Plaster is most suitable for the application of internal plastering system as punning of walls, ceilings, and all decorative works like cornices, mouldings, and arches. Finishing defines the appearance and durability of the structure. Trimurti Gypsum Plaster is helpful in giving your house a desirable finish. Made out of high-quality Gypsum, Trimurti Gypsum Plaster is a white-coloured powder used for applying early coats to the interior walls and shaping the structure or creating casts.

The best part of Trimurti is that it hardens slowly with extra coverage and impurities-free features which makes it favourable to the construction teams and saves their time. Trimurti is one of the largest and best quality Gypsum Plaster manufacturers in India.



Smooth  
Finish



Less Paint  
Consumption



PART-I  
CM/L-3023835

### General Specifications:

Setting Time	15-20 min.
Residue	4% – 5%
Whiteness	70% – 72%
ISO Certified	Yes
ISI Certified	Yes
Wastage	NIL
Transverse Strength (kg/cm <sup>2</sup> )	16-20
Compressive Strength (N/mm <sup>2</sup> )	2-4
Density (kg/m <sup>3</sup> )	750-800
Chemical Composition	Calcium Sulphate Hemihydrate [CaSO <sub>4</sub> .1/2H <sub>2</sub> O]
Water to Material Ratio	1 : 1.25
Coverage (1kg)	1 sq.ft. with 12mm thickness
Shelf Life	12 months

From the date of manufacturing,  
when stored in dry conditions.

Note: Mix powder in water, not vice versa.

(\*All tested results are under lab condition)



Available in

1kg, 2kg, 20kg, 25kg, 40kg



# Expert Plaster

Trimurti Expert Plaster is one of the best-selling products in the Gypsum Plaster Segment. Expert Plaster provides extra whiteness and expands coverage. What makes Trimurti Expert Plaster the best is the scientific research involved in producing this international standard product. Our research and development team ensures the use of the best raw material from best gypsum mines so that it doesn't crack or shrink after hardening. Also, the slow drying helps it become durable and long-lasting. Once applied, it will protect and beautify the building for years and without any constant maintenance.



**Super White &  
Super Strength**



**Extra  
Coverage**



**Made From Indian  
& Imported Gypsum**



**Special Power  
Packing**

## General Specifications:

Setting Time	15-20 min
Residue	2% – 4%
Whiteness	75% – 80%
ISO Certified	Yes
ISI Certified	Yes
Wastage	NIL
Transverse Strength (kg/cm <sup>2</sup> )	18 -22
Compressive Strength (N/mm <sup>2</sup> )	3 - 5
Density (kg/m <sup>3</sup> )	700-750
Chemical Composition	Calcium Sulphate Hemihydrate [CaSO <sub>4</sub> .1/2H <sub>2</sub> O]
Water to Material Ratio	1 : 1.25
Coverage (1kg)	1.25 sq. ft. with 12 mm thickness
Shelf Life	12 months From the date of manufacturing, when stored in dry conditions.

Note: Mix powder in water, not vice versa.  
(\*All tested results are under lab condition)

IS : 2547



**PART-I  
CM/L-3023835**



**Available in 25kg**



# Premium Wall Putty

Trimurti wall putty is a water-resistant white polymer-based putty that provides a strong base on concrete, mortar walls, and ceiling. It is suitable for both interior and exterior walls. We are the leading manufacturers of a wide range of Wall Putty products. We use Korean Polymers and high-quality white cement, which gives a longer life span and strengthens the wall. Also, it is highly resistant to water, so it increases the life of the paint as well.



**Water  
Resistant**



**Interior &  
Exterior**



**Smooth Finish**



**Made with  
Korean Polymers**

IS 17545 : 2021



CM/L-8600113612

## General Specifications:

Water Demand	35-40%
Whiteness	90-92%
Compressive Strength (N/mm <sup>2</sup> ) (28 Days)	6-7
Tensile Adhesion Strength (N/mm <sup>2</sup> ) (14 Days)	0.75-1
Water Absorption (ml/hr)	0.7
Coating Thickness	1-1.5mm
Coverage (1kg)	15-18sq.ft. for 2 coats
Pot Life	2 - 3 Hours
Shelf Life	6 months From the date of manufacturing, when stored in dry conditions.



(\*All tested results are under lab condition)

**Available in**  
1kg, 5kg, 20kg, 40kg



# Superior Wall Putty

Trimurti has always made sure to improve its quality and bring to you the best performing wall care products such as Superior Wall Putty. Its anti-carbonate properties bind it strongly with the base and give a true tone to the colour. It is highly successful in interior walls, exterior walls, wall segments, and repainting of the walls. The supreme quality pigments give your walls a high-end snow-white finish. It is one tested solution to assure you with beautiful walls that fill the desire of your dream house.



**Water  
Resistant**



**Enhance  
Adhesion**



**Smooth  
Finish**



**Prevent  
Flakings**

IS 17545 : 2021



CM/L-8600113612

## General Specifications:

<b>Water Demand</b>	<b>35-40%</b>
<b>Whiteness</b>	<b>90-92%</b>
<b>Compressive Strength</b> (N/mm <sup>2</sup> ) (28 days)	<b>6-7</b>
<b>Tensile Adhesion Strength</b> (N/mm <sup>2</sup> ) (14 days)	<b>0.75-1</b>
<b>Water Absorption (ml/hr)</b>	<b>0.7</b>
<b>Coating Thickness</b>	<b>1-1.5 mm</b>
<b>Coverage (1kg)</b>	<b>15-18sq.ft. for 2 coats</b>
<b>Pot Life</b>	<b>2 - 3 Hours</b>
<b>Shelf Life</b>	<b>6 months</b> From the date of manufacturing, when stored in dry conditions.



(\*All tested results are under lab condition)

**Available in 20kg, 40kg**



# Expert Wall Putty

Expert Wall Putty is an advanced version of Trimurti Wall Putty. Trimurti Expert Wall Putty is a German polymer-based wall care product. It is specifically developed to give final finishing touches to the walls and ceilings in order to make them ready to paint. It covers unevenness and pinholes from the surfaces and makes them smooth. It is applied just before the final paint to increase the longevity and durability of the paint and provide a snow-white finish. Our Expert Wall Putty can be used for both exterior and interior finishing.



Available in 20kg, 40kg

## General Specifications:

Water Demand	35-40%
Whiteness	92-95%
Compressive Strength (N/mm <sup>2</sup> ) (28 Days)	7-8
Tensile Adhesion Strength (N/mm <sup>2</sup> ) (14 days)	1-1.5
Water Absorption (ml/hr)	0.6
Coating Thickness	1-1.5mm
Coverage (1kg)	18-20 sq. ft. for 2 coats
Pot Life	2 - 3 Hours
Shelf Life	6 months From the date of manufacturing, when stored in dry conditions.

IS 17545 : 2021



CM/L-8600113612



For Interior &  
Exterior Walls



Made with German  
polymers



No Curing  
Required





# One Coat Gypsum Plaster

## (Vermiculite Based)

Trimurti's One Coat Gypsum Plaster is a Vermiculite gypsum-based plaster created to offer a better approach to traditional plastering. Its vermiculite-based Beta-Hemihydrate formulation ensures working and setting characteristics. It can deliver thrice more insulating capacity than others. As the name suggests, you only need a single coat of One Coat Gypsum Plaster to the brick wall and its done. It is suitable for internal surfaces which include red bricks, AAC blocks, and concrete surface walls. It is a premixed single-coat plaster that eliminates sand, cement, and P.O.P. application.



**No Water  
Curing Needed**



**No Shrinkage  
Cracks**

Made With As Per  
Indian Standard  
**IS:2547 Part: I / II**

	Quality Assurance	Direct Application	Line & Level	Smooth Finish	Time Saving	Water Curing	Shrinkage Cracks	Fire Resistant	Heat Resistant	Light Weight Plaster	Drying Time
Sand Cement Plaster	—	✓	—	—	—	✓	✓	—	—	—	28 days
P.O.P.	✓	—	✓	✓	—	Does Not Require	✓	—	—	✓	72 hrs
Trimurti One Coat Gypsum Plaster	✓	✓	✓	✓	✓	Does Not Require	Does Not Appear	✓	✓	✓	72 hrs

### General Specifications:

Color of Finished Surface	White
Density kg/m <sup>3</sup> (Max)	760-780
Setting Time	20-25 mins.
Compressive strength (N/mm <sup>2</sup> )	3-6
Transverse Strength (kg/cm <sup>2</sup> )	30-40
Water to Material Ratio	1 : 1.5
Coverage (1kg)	0.75 - 0.80 sq.ft. with 15mm Thickness
Shelf Life	12 months From the date of manufacturing, when stored in dry conditions.

(\*All tested results are under lab condition)



**Available in 40kg**



# One Coat Gypsum Plaster

## (Perlite Based)

The One Coat Gypsum Plaster by Trimurti is a Perlite gypsum-based plaster designed to offer an alternative to traditional plastering techniques. This lightweight plaster can deliver four times more insulating capacity than others. With Trimurti One Coat Gypsum Plaster, you only need to apply one coat to the brick wall and the surface is ready for paint. It can be used on a variety of interior surfaces, including red bricks, AAC blocks, and concrete surfaces. The plaster is a pre-mixed single-coat plaster and does not require the application of sand, cement, or P.O.P. Its also improve workability and provide better coverage.



**No Water  
Curing Needed**



**No Shrinkage  
Cracks**

Made With As Per  
Indian Standard  
**IS:2547 Part: I / II**

	Quality Assurance	Direct Application	Line & Level	Smooth Finish	Time Saving	Water Curing	Shrinkage Cracks	Fire Resistant	Heat Resistant	Light Weight Plaster	Drying Time
Sand Cement Plaster	—	✓	—	—	—	✓	✓	—	—	—	28 days
P.O.P.	✓	—	✓	✓	—	Does Not Require	✓	—	—	✓	72 hrs
Trimurti One Coat Gypsum Plaster	✓	✓	✓	✓	✓	Does Not Require	Does Not Appear	✓	✓	✓	72 hrs

### General Specifications:

Color of Finished Surface	White
Density kg/m <sup>3</sup> (Max)	700-740
Setting Time	20-25 mins.
Compressive strength (N/mm <sup>2</sup> )	4-7
Transverse Strength (kg/cm <sup>2</sup> )	35-45
Water to Material Ratio	1 : 1.5
Coverage (1kg)	0.85 - 0.95 sq.ft. with 15mm Thickness
Shelf Life	12 months From the date of manufacturing, when stored in dry conditions.



**Available in 40kg**

Note: Mix powder in water, not vice versa.  
(\*All tested results are under lab condition)



# Quick Bond

Trimurti Quick Bond is a totally new and advanced replacement for the conventional hacking process where we have to dent the surface in order to create a proper mechanical bond between structure and plaster. It increases the pull-out strength by 20 times in comparison with the conventional hacking process. It is a unique formula of sand fillers, adhesives, and polymers that improve its bonding properties.

Trimurti Quick Bond can be applied on any concrete surface like R.C.C. columns, beams, slabs, shear walls, or any other low-suction surfaces. It is a faster bonding agent that enables the preparation of ceiling and wall surfaces within 24 hours. It also has a dual bonding feature that provides mechanical as well as chemical grip and eliminates the risk of debonding gypsum or sand cement plaster.



**Ready To Use**



**Dual Bonding**



**Applied On Any Concrete Surface**



**Makes Identification Easy**

## General Specifications:

Setting Time	24 Hrs.
Color	Green
Bonding Time	20x Than Conventional Hacking
Coverage (1 kg)	Approx. 30-35 sq.ft.
Type	Colloidal Solution with Suspended Solids
Chemical Composition	Polymer Based Liquid
Shelf Life	12 months From the date of manufacturing, when stored in dry conditions.

\*Water should not be added at any point of time.

## Application Instructions:

1. Open & stir the contents.
2. Apply with a roller.
3. Dry for 24 hrs. and the surface is now ready for plastering.



**Available in**  
1kg, 5kg, 10 kg, 20kg



# AAC Block Joining Mortar

Trimurti AAC Block Joining Mortar is a ready-to-mix, self-curing cementitious mortar for laying AAC, CLC, hollow and concrete blocks. It's a factory-made premixed mortar blended with carefully selected raw materials such as graded sand, mineral binders, and Ordinary Portland Cement (OPC) in combination with selected polymeric additives which help in providing mechanical bond and adhesion between the blocks and block to the surface. It is designed for use with water to produce high-strength thixotropic mortar.

Trimurti Block Joining Mortar is manufactured by following strict quality norms and is in compliance with C 1660-09 ASTM standards ([www.astm.org](http://www.astm.org)), a worldwide standard followed for thin-bed mortar for autoclaved aerated concrete masonry that meets the requirements of National and International standards.



No  
Curing



Strong  
Bond



High-  
Coverage




Non-Toxic

## Key Features:

- High Strength (Tensile Splitting Strength)
- Self Curing
- Flexible & Improved Workability
- Less Storage Space
- Construction Accuracy
- Fast Construction & Higher Productivity

## General Specifications:

Coverage (30kg)    1 Cubic Meter Blocks  
with 3mm Thickness



Available in : 30 kg



# Tile Adhesive (Silver, Silver Plus)

Trimurti Silver and Silver Plus Tile Adhesive is a very niche product to specifically encounter the needs of flooring tile fixing solutions for your homes and offices. It can be used for both interiors as well as exterior floor tiles. It is made of Korean Polymers that increase its bonding and enhances its workability and maximize the coverage. A low settling time increases productivity and fastens the construction process.

## General Specifications:

Appearance	Grey powder
Open Time	30-35 mins.
Pot Life	2-2.5 hrs.
Coverage (1kg)	3.5 - 4 sq.ft. with 4mm thickness
Tensile Strength (N/mm <sup>2</sup> )	0.75 - 1
Shelf Life	6 months From the date of manufacturing, when stored in dry conditions.

(\*All tested results are under lab condition)

## Usage:

### Silver

- Interior Floor Tiles

### Silver Plus

- Interior/Exterior Floor Tiles  
- Tile on Tile



Made with  
Korean Polymers



Made with  
53 Grade  
OPC Cement



Just Add Water  
& It's Ready



No Need To  
Add Cement



Super  
Flexibility



Environment  
Friendly



Fast  
Setting Time



Available in : 20 kg



# Tile Adhesive (Gold, Gold Plus)

Manufactured with high precision with selected pigments and special aggregates, the chosen product is a perfect fit behind stones and various types of tiles like ceramic, marble, mosaic, homogenous etc. It's a premixed material that is very easy to use with joint filling properties. The sag-resistant feature solves your hesitation in choosing particular tiles without the fear of them falling down from the wall.



**Made with German Polymers**



**Made with 53 Grade OPC Cement**



**Just Add Water & It's Ready**



**No Need To Add Cement**



**Water Resistant**



**Non Toxic**



**Fast Setting**

## General Specifications:

**Appearance**

**Grey powder**

**Open Time**

**30-35 mins.**

**Pot Life**

**2-2.5 hrs.**

**Coverage (1kg)**

**3.5 - 4 sq.ft.  
with 4mm thickness**

**Tensile Strength (N/mm<sup>2</sup>)**

**1 - 1.25**

**Shelf Life**

**6 months**

From the date of manufacturing, when stored in dry conditions.

(\*All tested results are under lab condition)

## Usage:

### Gold

- Interior Wall Tiles
- Interior/Exterior Floor Tiles
- Interior/Exterior Floor Stones

### Gold Plus

- Interior/Exterior Wall Tiles
- Interior/Exterior Floor Tiles
- Interior/Exterior Floor Stones
- Interior/Exterior Wall Stones



**Available in : 20 kg**



# Tile Adhesive (Platinum)

Adding a final touch of a makeover by putting fashioned tiles can be a sophisticated idea, for which our exclusive tile adhesive formulation is applicable in various functionalities for all kinds of ceramic and porcelain tiles. It serves a greater purpose of holding tiles onto the surface, be it on the flat ground or on the vertical wall, and sticks them hard so they never fall off. Offering a great strength and bonding for longer life, our tile adhesive is useful in fixing tiles to walls, tile on tile, floor and wall stones, swimming pool tiles, roofing tiles, flooring tiles, and partition tiles - be it interior or exterior.



**High Bonding  
& Shear Strength**



**No Water  
Curing Needed**



**Longer  
Pot Life**



**Fast  
Setting**



**No Pre Soaking  
of Tiles**



**Water  
Resistant**

## General Specifications:

<b>Appearance</b>	<b>White powder</b>
<b>Open Time</b>	<b>30-35 mins.</b>
<b>Pot Life</b>	<b>2-2.5 hrs.</b>
<b>Coverage (1kg)</b>	<b>3.5-4 sq.ft. with 4mm thickness</b>
<b>Tensile Strength (N/mm<sup>2</sup>)</b>	<b>1.25 - 1.5</b>
<b>Shelf Life</b>	<b>6 months</b> From the date of manufacturing, when stored in dry conditions.

(\*All tested results are under lab condition)

## Usage:

- Glass Mosaic Tiles
- Swimming Pool Tiles
- Interior/Exterior Wall Tiles
- Interior/Exterior Floor Tiles
- Interior/Exterior Floor Stones
- Interior/Exterior Wall Stones



**Available in : 20 kg**



# Premium Unsanded Tile Grout

Trimurti Tile Grout is a brand-new solution to give your tiles a flawless finish that also brings more stability and unbreakable strength to the tiles. Tile grout acts as a waterproofing agent. In case of water leakage through the slab, tile grout decelerates the penetration of water. Tile Grout helps keep the line straight with beautiful look and prevents tiles from rubbing against one another and cracking.

## Features:

- Easy To Use
- Better Setting Time
- Extra Durability
- Waterproof



Polymer Modified  
Cementitious Grout



Uniform  
Colour



For Tile Joints  
1-3 mm



Hard &  
Durable

## Benefits:

- Crisp Finished Appearance
- Adds Rigidity
- Keeps Dirt & Debris Away
- Provide Strength



Available in: 1kg,



## Decorative White Cement

Made with added polymers and white aggregates, Trimurti Decorative White Cement is highly applicable to interior and exterior walls to provide high bonding and extra whiteness to your walls. It can help you with placing suitable marbles and mixes easily with dry plaster and mortar. It can add a positive approach to a wide range of colors, textures, and shapes and can also be useful for decorative paints, ornaments, tiles, and terrazzo flooring. It is highly acceptable in making your walls resistant to external elements and provides a smooth base for the paints to put on for a premium finish.



Fills Crack



Enhance  
Adhesion



Interior &  
Exterior Walls

### Areas of Application:

#### | Floor

- Tiles manufacturing and block pavement.
- Suitable laying for marbles.
- Works for In-situ Terrazzo flooring technique.

#### | Walls

- Dry mixing with plaster and mortar.
- Can pre-cast in panels.
- Excellent white wash.

#### | Ornamental & Decorative Applications

- Glass fiber reinforced concrete.
- Garden showcase ornaments.

### Features & Benefits:

- Best Class Limestone Used
- Superior Bonding
- Reinforce Application
- Smooth Matte Finish
- Extra Whiteness
- High Strength



Available in : 1kg, 5kg, 25kg



# AAC Blocks

---

Trimurti wall care products are offering the best in quality autoclaved aerated Concrete Blocks. It is made up of cement, Calcined Gypsum, Quartz Sand, Aluminium Powder, and Quicklime that gives you durable quality AAC Blocks at a very economical price.

Trimurti procures the best quality AAC Blocks from our trusted vendors, which are recognised as the best in the country. It is suitable for interior and exterior construction. AAC Blocks are highly recognised for high-rise buildings with high-temperature fluctuations. Its low-density feature allows less requirement of steel and concrete for structural material in a high-rise building.



Heat, Sound,  
& Fire-Resistant  
upto 5%



Highly  
Durable



Lightweight




Faster  
Construction



Cost  
Saving



Less Labour  
Required





# Premium Grey Cement

Trimurti Premium Grey Cement is highly useful for small construction or repair work. Considering the demand of our customers, we introduce small bags of 1kg and 5kg of grey cement, as many times the big bags don't get used all and that wastes so much of material. The small packs will help you make good use of the product. While working on finishing the walls, you may require a small amount of grey cement and for that, the Trimurti Premium Grey Cement fits perfectly.

## Features & Benefits:

- For Interior / Exterior Use
- Non-Toxic Grey Cement
- No Wastage
- Super Adhesion
- Easy to Apply



Water  
Resistant



High  
Strength



Super  
Flexible



Environment  
Friendly



Available in: 1kg, 5kg



# Ceiling Products



## Dry Wall Screw

Plaster of Paris is a very delicate material and regular screws and nails might damage the whole structure as they are not meant to use on it. That's why Trimurti manufactures special screws which are suitable and easy to use. It can be used to secure gypsum board to wood and are suitable to attach drywall to metal stud. Trimurti produces them in different sizes according to the need of the clients. Trimurti Dry Wall Screws are anti-corrosive, dimensionally accurate, smooth finish, and easy to fit.

- Supreme Quality
- Durable
- Easy Installation
- Anti-corrosive
- Dimensional Accuracy
- Sizes: 6x19mm | 6x25mm
- 1 Box: 1000pcs.

## Gypsum Plaster/ Gypsum Board Channel

Our durable Gypsum Plaster / Gypsum Board channels are an ideal solution for the requirement of a false ceiling to decorate your home. These are ideal to maximize strength, are easy to use, sophisticated finish, and have a long-lasting ability.

- Fresh Raw Material
- High Strength
- Logo Engraved
- Material: Galvanized Iron
- ISI Certified Raw Material
- Standard Length and Weight
- Ultra Dotted Material
- Extra Gripping
- Rust Free
- Thickness: 24-28 Gauge
- Available in: 8ft, 12ft





# Ceiling Products



## Fastener

Trimurti Fastener demanded features like abrasion resistance and dimensional accuracy. These are tested on different parameters by our diligent quality controllers to ensure their robustness. They acquire sturdy construction, easy installation, lightweight, and durability.

- Abrasion Resistant
- Dimensional Accuracy
- Easy Installation
- Light Weight
- Size: 6mm
- 1 Box: 100pcs.

## Wire Mesh

Trimurti Wire Mesh is a suitable solution to give a better hold to the gypsum plaster while making a false ceiling. It is certainly helpful to strengthen the plaster and reach your goal of getting a fashionable design.

- High Strength
- Less P.O.P. Consumption
- Without Cardboard
- All G.I.Prime Material Used
- Standard Weight
- Rust Free
- No Sagging
- Easy Installation

### Specifications

- 1 Inches = 4 Boxes
- Wire Thickness: 0.44mm to 0.58mm
- Width: 3ft.
- Length: 50ft.
- Available in : 6.5kg, 7.5kg & 8.5kg





# Our Clients

Our hard work and enthusiasm have taken us miles to work with so many ideal institutions and profiles that have given us a chance to explore a wide and long path together.





# Our Presence

---

Trimurti has been a trusted name across the country. In order to become a pan-India brand, we strive to expand our reach and create better products.







## Trimurti Wall Care Products Pvt. Ltd.

### Works Office:

- F-110, Matsya Industrial Area,  
Alwar, Rajasthan - 301030
- G-1/322, I.G.C. Khara, Bikaner,  
Rajasthan-334601

### Connect with us:

- ☎ 011-45556144
- ☎ 1800-1200-620
- ✉ [info@trimurtiprducts.com](mailto:info@trimurtiprducts.com)

Scan for Catalogue



### Follow us on:



/trimurtiprducts



[www.trimurtiprducts.com](http://www.trimurtiprducts.com)