

MATT SERIES
60 X 120 CM



Wahlstand Vitrified



wahlstand
Vitrified

WE WANT TO EMBRACE THE WORLD



Comfort
with
living life

MATT
S E R I E S


Wahlstand Vitrified
Embrace the World

Eye-catching looks for an elegantly complex design.
A homage to a material with significant history,
reinvented with a decidedly contemporary feel, which
leaves its mark indelibly, bringing style to the most
varied and demanding contemporary design
settings.


GVT
600X1200MM




AMBROS BIANCO



RANDOM- 04



AMBROS CLAY



RANDOM- 04




Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

AMBROS CLAY






AMBROS GREY



RANDOM- 04



AMBROS YAM



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

BOSTON BROWN





ANESSA CHARCOAL



RANDOM- 04



ANESSA GOLD



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

ANESSA GOLD






ANESSA LILAC



RANDOM- 04



ANESSA PINK



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

ANESSA PINK






ANESSA PURPLE



RANDOM- 04



ANESSA RED



RANDOM- 04

GVT 600X1200MM

ANESSA RED






ANESSA WHITE



RANDOM- 04



ANESSA YELLOW



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

ANESSA YELLOW





ARES BEIGE



RANDOM- 01



ARES BIANCO



RANDOM- 01



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

ARES BIANCO





ARES FLAX



RANDOM- 01



ARES GREY



RANDOM- 01



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

ARES GREY





BOSTON BEIGE



RANDOM- 04



BOSTON BROWN




RANDOM- 04


GVT 600X1200MM

BOSTON BROWN






BOSTON GREY



RANDOM- 04



BOSTON BIANCO



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

BOSTON GREY





CALCE BEIGE



RANDOM- 02



CALCE GREY



RANDOM- 03



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

CALCE BEIGE





CELARIYO BEIGE



RANDOM- 04



CELARIYO GREY



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

CELARIYO GREY






CELARIYO IVORY



RANDOM- 04



CELARIYO NERO



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

CALCE BEIGE





CHINATO SILVER



RANDOM- 03



CHINATO TAN



RANDOM- 03



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

CHINATO TAN







COSTA BROWN



RANDOM- 04



COSTA GREY



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

COSTA GREY





COSTA RAHINO



RANDOM- 04



COSTA RUST



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

COSTA RUST





COSTA SILVER



RANDOM- 04



COSTA THUNDER



RANDOM- 04



Wahlstand Vitrifired
Embrace the World

GVT 600X1200MM

COSTA THUNDER






CRESTA BEIGE



RANDOM- 03



CRESTA BROWN



RANDOM- 03



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

CRESTA BROWN





CRESTA GRIS



RANDOM- 03



CRESTA SILVER



RANDOM- 03



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

CRESTA GRIS






ENIGMA GREY



RANDOM- 04



EVON NATURAL



RANDOM- 03



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

EVON GREY






EVON BIANCO



RANDOM- 03



GLEN



RANDOM- 0



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

GLEN





GLEN BEIGE



RANDOM- 04



GLEN BROWN



RANDOM- 4



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

GLEN BROWN





GLEN GREY



RANDOM- 02



GLEN LIGHT




RANDOM- 4



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

GLEN LIGHT





GLEN NATURAL



RANDOM- 04



GLEN SILVER



RANDOM- 4



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

GLEN SILVER





GLEN TAN



RANDOM- 04



JURAK BRONZ



RANDOM- 4




Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

JURAK BRONZ





JURAK IRON



RANDOM- 04



JURAK WHITE



RANDOM- 4



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

JURAK WHITE





KESTER MINK



RANDOM- 02



KESTER STEEL



RANDOM- 2



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

KESTER STEEL





LAVA BEIGE



RANDOM- 03



LAVA BROWN



RANDOM- 02




Wahlstand Vitrified
Embrace the World


GVT 600X1200MM



LAVA BROWN



LAVA GRIS



RANDOM- 03



LAVA LIGHT



RANDOM- 03



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

LAVA LIGHT





MINTI BEIGE



RANDOM- 04



MINTI BIANCO



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

MINTI BIANCO







MINTI BRONZE



RANDOM- 04



MINTI GREY



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

MINTI GREY





NOVANA GREY



RANDOM- 04



NEXA BIANCO



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

NEXA BIANCO





NEXA BROWN



RANDOM- 04



NEXA IVORY



RANDOM- 04




Wahlstand Vitrifired
Embrace the World


GVT 600X1200MM

NEXA IVORY





NEXA NERO



RANDOM- 04



NOVANA BROWN



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

NOVANA BROWN





NOVANA BROWN LIGHT



RANDOM- 04



NOVANA GREY LIGHT



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

NOVANA GREY LIGHT





NURIA BEIGE



RANDOM- 04



NURIA BROWN



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

NURIA BROWN





PIAT BEIGE



RANDOM- 03



PIAT STEEL



RANDOM- 03



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

PIAT STEEL





PIERO BEIGE



RANDOM- 04



PIERO BIANCO



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

PIERO BIANCO






PIERO BROWN



RANDOM- 04



PIERO GREY



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

PIERO GREY





TAYOS SMOKE



RANDOM- 03



TAYOS WHITE



RANDOM- 03



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

TAYOS WHITE





THERON BEIGE



RANDOM- 04



THERON SILVER



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

THERON SILVER






SAND BEIGE



RANDOM- 04



SAND BLANCO



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

SAND BEIGE







SAND BROWN



RANDOM- 04



SAND GREY



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

SAND GREY





STONEAGE BEIGE



RANDOM- 04



STONEAGE BROWN



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

STONEAGE BROWN





STONEAGE GREY



RANDOM- 03



STONEAGE BIANCO



RANDOM- 04



Wahlstand Vitrified
Embrace the World


GVT 600X1200MM

STONEAGE GREY





TUNA ROCK GRIS



RANDOM- 04



TUNA ROCK ICE



RANDOM- 04



Wahlstand Vitrified
Embrace the World

GVT 600X1200MM

TUNA ROCK GREY







VICTORIA BIANCO



RANDOM- 04



VICTORIO GREY



RANDOM- 04



Wahlstand Vitrified
Embrace the World

Technical Specifications.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF GVT / PGVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	<0.05 %	<0.05 %	<0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

Packing Details.

SR. NO.	PRODUCT	NOMINAL SIZE	TILES PER BOX	COVERAGE AREA	WEIGHT
1	VITRIFIED TILES	600 x 1200 mm	2	1.44 Sq. Mtr.	29 Kg Approx..

Note: •Colour Shown are as accurate as the limitations of the printing process will allow. •Prospective customers are advised to inspect a sample of the tile before ordering. •Every effort has been made to ensure the accuracy of the information given. •However, the company reserve the right to change the specifications without prior notice. •Sometime variations in shade or size being inherent to ceramic industry may occur. •Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

Applications.



DISCLAIMER : We reserves the right to delete & amend either totally of partially, and of the colours, shapes, size, references and other technical specification contain in catalogue at any time. the colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample final selection. The details of colours, size, references should be vitrified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE SHALL ENTERTAINED ON TILES ALREADY LAID/FIXED.