Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

THE STUDY ABOUT EV CHARGING STATION AND CHALLENGES FACED BY CHARGING POINT IN RURAL AREAS

Mr. Kardile Pratik Rajaram
Final Year Student
Department of Electrical Engineering
HSBPVT's Faculty of Engineering, Kashti, India

Abstract:

Electric vehicles (EVs) are gaining popularity due to their environmental benefits, including lower greenhouse gas emissions and better air quality. Government laws and incentives are being established to encourage EV use, with some aiming to phase out gasoline and diesel vehicles in the next decades. Technological advancements, such as lithium-ion and solid-state batteries, are increasing the range and cost of EVs. Key themes shaping the future of EV charging infrastructure include faster charging speeds, wireless charging, dynamic charging, smart and connected charging, network development, renewable energy integration, sustainability, and autonomous charging. Plug-in hybrid electric vehicles (PHEVs) and battery electric vehicles (BEVs) have the potential to significantly improve energy and environmental conditions in India if extensively adopted. The national government should begin executing necessary procedures for building EV charging infrastructure, with private sectors invited to participate. India is estimated to have approximately 1 lakh EVs by 2020, making smart chargers critical for sustaining the large network. This paper is about challenges faced by charging points in rural areas.

Key Words: EV charging station, Rural Area, EV Charger

Introduction:

The sales of electrical vehicles are increasing day by day. The biggest drawback of EV is having bulky cables and always remembering to charge. In day-to-day life, our biggest concern is exhaustion of fossil fuels. They are the backbone of many systems. In earlier days, transport did not play an essential role. The EV uses one or more electric motors. Electric mobility is becoming most important in recent days to reduce depending on fossil fuels for transportation. Government regulation helps EV companies grow. The global sales of EVs crossed 14 million sales in 2023; it also increased by 35% from 2022. The annual passenger EV sales are expected to cross 10 million by 2025. To buy EV, you have to consider safety, efficiency, and comfort. Electric vehicles (EVs) provide several environmental benefits, such as lower greenhouse gas emissions, better air quality, increased energy efficiency, and potential integration with renewable energy sources. They also have lower operating costs and are energy independent, giving them an affordable alternative to standard gasoline vehicles.

Government policies and incentives are being implemented to boost EV adoption, with some even planning to phase out gasoline and diesel vehicles in the next decades. Technological developments, such as lithium-ion and solid-state batteries, are increasing the range and cost of electric vehicles. The integration of self-driving technology and the growth of charging infrastructure have the potential to transform transportation. EVs also improve public health and safety by eliminating noise pollution and fuel-related accidents. Rising petrol prices have India, a major automotive market with a developing middle class, thinking about adopting alternative technologies like electric vehicles (EVs). While local governments assist infrastructure implementation through public-private partnerships, national governments invest in R&D and consumer incentives. According to the Global EV Outlook, governments have invested approximately USD 800 million in infrastructure since 2008, resulting in a double-digit increase in global EV sales between 2011 and 2012. Kanagawa Prefecture in Japan, Los Angeles, Rotterdam, and Dutch cities are examples of successful EV regions. Novel policies and initiatives are being put into place to promote the use of electric
vehicles

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in




Fig. EV vehicles sales

Methodology:

The future of electric vehicle (EV) charging stations: looks positive, thanks to technology breakthroughs, rising EV use, and a growing emphasis on sustainability. Here are the important trends influencing the future of EV charging infrastructure:

1. Faster charging speeds

Ultra-fast Charging: Charging stations are projected to offer higher speeds, with new technology allowing automobiles to charge in minutes rather than hours. Companies are creating chargers with power levels more than 350 kW, which will dramatically reduce recharge times.

Solid-State Batteries: The use of solid-state batteries may result in even faster charging periods and higher energy densities, making EVs more suitable for longer travels.

2. Wireless charging:

Wireless or inductive charging technology is being investigated for convenience, allowing vehicles to charge while parking on a charging pad. This could become commonplace in urban areas or for fleets like taxis or delivery trucks.

Dynamic Charging: In the future, roads may be outfitted with integrated chargers, allowing EVs to charge while driving, eliminating range anxiety and reliance on stationary charging stations.

3. Smart and Connected Charging:

Charging stations will be incorporated into smart networks, enabling improved energy distribution and the utilization of renewable energy. Chargers will change their output in response to grid demand, thereby balancing energy loads.

Vehicle-to-Grid (V2G): EVs could provide energy back into the grid, resulting in a bidirectional flow of electricity.

4. Expansion of Charging Networks:

Widespread Infrastructure: Governments and private companies are investing heavily in expanding charging networks to ensure EV adoption is not limited by charging availability. Charging stations will become as ubiquitous as traditional gas stations.

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

Rural and Urban Solutions: Urban areas will see an increase in public charging points in parking lots, streets, and even lampposts, while rural areas will receive new infrastructure to ensure coverage across all regions.

5. Renewable Energy Integration:
Solar-Powered Stations: Charging stations integrated with solar panels and battery storage will help reduce dependence on the traditional grid, offering sustainable solutions that reduce the carbon footprint of EV charging.

Hydrogen and Hybrid Stations: Some stations may combine EV charging with hydrogen refiling points for fuel cell vehicles, allowing for diverse clean energy transportation options.

6. Sustainability & Circular Economy:
Recycling Batteries: As the number of electric vehicles grows, recycling batteries and charging station equipment will become increasingly important. The charging infrastructure will be developed with sustainability in mind, using recycled materials and decreasing waste.

7. Autonomous Charging:
Robotic Charging Systems: As autonomous vehicles (AVs) grow increasingly common, robotic charging systems may appear. These devices would connect to the vehicle without requiring human intervention, making charging easier for both private and commercial AVs.

8. Multi-purpose Charging Hubs:
Charging Stations as Hubs: In the future, EV charging stations could become multi-purpose hubs with facilities such as cafes, offices, and even entertainment. This may improve the user experience while waiting for the vehicle to charge.

The present situation in India: The Indian government intends to minimize carbon emissions by adopting the National Electric Mobility Mission Plan (NEMMP) 2020, which seeks to have 5 to 7 million electric vehicles on the road by 2020. The strategy intends to generate 175GW of sustainable energy by 2022, with 100GW coming from solar. The Ministry of Power and the Ministry of Housing and Urban Affairs issue guidelines for installing public charging stations, which include obtaining electricity from any generation company, using an exclusive transformer, providing adequate space for vehicle movement, and ensuring proper civil and firefighting operations. Charging stations must have a minimum of five chargers.

Plug-in hybrid electric cars (PHEVs) and battery electric vehicles (BEVs) have the potential to significantly improve India's energy and environmental conditions when they are widely introduced as plug-in electric vehicles (PEVs).

The central government ought to begin implementing the required procedures for installing EV charging infrastructure. One possible first step would be to persuade global market participants to do case studies on suitable sites and sufficient amounts of Electric Vehicle Supply Equipment (EVSE). Analysis is required of the implications of EV projections on current, energy generation, transmission and distribution schemes, road traffic density, emission levels, and the necessity for parking spaces. Installed infrastructure needs to be effectively operated and maintained. Private actors should be invited in order to participate rather than the government body directly.

EV Station in Maharashtra: Maharashtra is one of India's top states for electric vehicle (EV) infrastructure, having over 3,079 public charging stations as of early 2024. This makes it one of the top states in the country for EV adoption, alongside Delhi (Saur Energy International; E V reporter).

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

Pune, a major city in Maharashtra, has established a solar power facility to enable electric vehicle charging stations (Hindustan Times). The FAME India Scheme provides financial incentives and advantageous prices to encourage the establishment of these facilities (EV reporter).

Maharashtra's efforts include providing slow and rapid charging options at various public charging stations, with tariffs targeted to encourage uptake

Distribution System: The distribution system, which delivers electric energy to end users, is affected by EV charging stations, leading to voltage degradation, peak load increase, and harmonic distortions. As electric vehicle demand increases, so do the load requirements for charging vehicles. The expansion of power generation and transmission capacity is crucial to address this issue. Capacity increases needed to meet EV charging loads are relatively small. When load demand from residential, industrial, and commercial destinations adds to the existing load, the distribution system can act abnormally. Vehicle-to-grid (V2G) technology allows bidirectional energy flow between EV and grid, integrating Information and Communication Technologies (ICT) with the EV charging system.

Types of EV:

In general, there are three different kinds of electric vehicle charging

1. Level 1: Slow Charging
2. Level 2: Fast Charging
3. Level 3: Rapid Charging

Although Level 3 is a DC charger, Levels 1 and 2 are both AC chargers. The charging pace decreases as the charging level rises. The faster an EV can be charged, the more powerful the charging becomes.
Two ports typically appear on an EV charging cable: one for the vehicle and one for the charging station. Depending on the form of EV or power speed charging station, a cable will be necessary.

1) Slow Charger (Level 1 EV chargers): In general, the most often EV chargers in households allow EV owners to recharge their vehicles in the comfort and convenience of their personal home and routine. This home EV charger takes longer to fully charge an electric vehicle.
2) Fast Charger (EV Chargers at Level 2): The majority of fast chargers are located in public areas including parks, supermarkets, retail stores, recreation facilities, and more. A type-2 charger can be used to charge almost any electric car (EV) or plug-in hybrid electric vehicle (PHEV).
3) Rapid Charger (EV Chargers at Level 3) Although direct current is supported, the DC charger for electric vehicles charges the vehicle incredibly quickly. At the charging station, the DC charger changes the incoming AC electricity into direct current. An electric car can be fully charged in an hour and typically gets up to 80% charged in 20 minutes.

Types of chargers:

A}.AC chargers for electric vehicles.

There are two types of AC chargers for EVs: level 1 and level 2, which convert the AC current from the charging station to DC current at the EV's onboard charger. The household AC supply has a maximum power of 7 kW. These are the slow chargers for EVs, which can be controlled and managed using the AC charger controller. Let’s take a look at two common charger levels as well as a customized option for AC chargers. AC Charging connectors

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

They normally charge slowly. A standard three-pin outlet with an EVSE cable or a wall-mounted home charging point can be used to charge an electric vehicle at home. Drivers of electric vehicles choose a home charging station to benefit from faster charging and built-in safety features.

There are two primary types of AC connectors. They are:

1) IEC 60309 2) Type 2 Connectors

1. IEC 60309

Charging with a 1-phase, 15-amp outlet, an IEC 60309 connector, and the necessary safety interlocks. A range of plugs and sockets with different sizes and pin counts are available, depending on the current delivered and the number of phases permitted. Because the fittings are IP44 waterproof, they are widely used in outdoor environments. They are also frequently used in circumstances when having 3-phase capability or a high current rating is not necessary



Fig. IEC 60309

On 50–60 Hz AC power, the voltage range and frequency are color-coded on the cable connectors and sockets. Common colours for 100–130 volts, 200–250 volts, and 380–480 volts are yellow, blue, and red, respectively. For outdoor equipment, weather-resistant external sockets made of blue fittings are commonly utilized.

2. Type 2 Connector: For charging electric vehicles, the IEC 62196 Type 2 connector (Mennekes) is primarily utilized throughout Europe. It is also advised in nations such as New Zealand. The circular connector, which was made to charge battery-electric cars at 3–50 kilowatts, has a flattened top edge. Electricity is produced using alternating current (AC), either single-phase or three-phase (DC). There are seven pins on the Type 2 AC connector, and they are as follows: Three-line phase pins, one neutral pin, and one earth pin.

Two pins for signalling on the other hand, if the EV charger is simply single phase, such as the 7.4



Fig. Type 2 Connector

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

KW Single Phase EV Charger, then only one of the three phase connectors has a conductor; the other two are blind.

B) DC Charging Connectors

DC-EV Connectors deliver direct DC power to the EV's battery pack. A Rapid-DC charging system can charge at 50 kW, whereas an Ultra-Rapid charging system can charge at 100 kW to 150 kW. To protect the battery, rapid chargers do not always charge at maximum power. DC chargers convert AC power to DC electricity at the charging station itself. These chargers are in high demand for charging EVs in a matter of minutes, which will be especially useful for heavy-duty electric cars traveling long distances. These are appropriate for installation on highways.

There are generally three types of DC charging connectors:

1) GB/T Connector, 2) CHAdeMO connector, 3) CCS1 and CCS2 connector

1) GB/T Connector: GB/T connectors are widely used in China. The GB/T standard allows for charging power of up to 250 kW, which allows electric vehicles to charge more quickly. The car connector can also be locked into its mount to protect it from theft. The power source for GB/T connections is DC power. The Chinese GBT connection uses CAN BUS signalling. It does not employ control protocols based on PLCs.

2) CHAdeMO Connector

In 2010, the Japanese created the CHAdeMO EV Connector Specification, which is a DC-based EV connector specification. The CHAdeMO EV Connector Specifications are used to design DC-based EV Connectors that can deliver up to 62.5 kW by 500 V with 125 Amperes of direct current for fast charging of battery electric vehicles. The Control Pin (CP) uses the CAN Protocol to facilitate communication between the electric car and the charging infrastructure. The new CHAdeMO EV Connector Specification 2.0 allows for up to 400kW of charging power. Most electric vehicles are compatible with the CHAdeMO connector.

3) CCS1 and CCS2 connector

Combined Charging System (CCS) charging sockets use shared communications pins to combine AC and DC inlets. As a result, the CCS charging socket occupies less space than CHAdeMO and other AC plugs. Because CCS1 and CCS2 share the same DC pin architecture and communications protocols, manufacturers can easily switch the AC plug portion for Type 1 in the US and Japan for Type 2 in other markets. It communicates between an electric car and the charging system via a PLC (Power Line Communication). North America, South Korea, and a few other countries primarily use CCS 1. European countries are the primary users of CCS 2.



Fig. diff between Ac & Dc charging

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

Smart Charger:

According to research, India would have around 1 lakh EVs by 2020. Smart chargers are necessary to sustain the extensive network. In addition to public charging stations, India should focus on bulk charging stations at workplaces and parking buildings. Smart chargers can reduce peak load charging by diverting electricity to other cars after a vehicle gets 70%-80% charge. The majority of offices in India are tiny and spread. To reduce individual implementation costs, we propose a common parking structure for all offices in a specific zone with smart charging capabilities.

Ev Charging Station:

A charging station is an essential piece of equipment for recharging plug-in electric automobiles. According to the US Department of Energy, 80% of EV charging takes place at home, which has an impact on owners' electric bills and utility systems. The maximum number of EVs charged at home results in cost savings, which can be decreased by installing a solar panel. Public charging stations provide better mileage and more driving hours. The cost of charging varies by geography, power source, and supplier. Charging stations can be either AC or DC. AC charging stations transfer AC electricity from the grid through an onboard charger, which generates DC power. Electric Vehicle Charging Stations (EVCS) play an important role in reducing grid load and lowering electricity costs. There are various sorts of charging stations, including as home, parking, public, and battery changing. Residential charging stations consume less current from the grid, lowering peak voltage demands. Parking charging stations leverage existing parking lots to reduce grid load and allow faster charging. Public charging stations use a variety of charging topologies and fast charger combinations, including AC-DC and DC-DC converters. great-frequency switching rectifiers consisting of MOSFET and IGBT use the Pulse Width Modulation (PWM) technique to achieve great efficiency and precision. Battery swapping stations (BSS) are introduced to solve time constraints and the critical demand for charged automobiles.




Fig. EV Charging Point

Challenges in rural areas:

1. Rural populations purchase fewer electric vehicles; therefore, firms are less likely to invest in charging infrastructure.

2. Long distances and sparse population: Rural locations may have longer travel lengths between towns or service hubs, necessitating the installation of more charging stations across wide areas.

3. Energy system Limitations: Many rural locations have an aging or insufficient energy system that may require upgrades to accommodate rapid charging stations.

4.Economic viability: Due to the low population density, there are fewer consumers for charging stations, reducing the return on investment for infrastructure development.

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

5. High Installation Costs: Setting up charging stations in remote or rural places might be more expensive due to logistical issues such as land acquisition, grid connections, and permitting processes

Potential Solutions:

1. Public-Private Partnerships (PPPs): Governments can work with private enterprises to share the costs and risks of establishing rural charging infrastructure.

2. Incentives and subsidies: Offering financial incentives or subsidies to enterprises that build in rural areas can spur more widespread infrastructure development.

3. Charging stations along highways: Installing charging stations on major highways that run through rural areas can benefit both long-distance motorists and locals.

4. Innovative Charging Models: Solar-powered charging stations or mobile charging units may be useful in rural areas where grid connections are poor or inconsistent.

5. Community Charging Stations: A localized approach in which small towns or communities invest in charging stations has the potential to pool resources and create EV-friendly zones.

6. Battery Swapping Stations: Allowing drivers to replace a drained battery with a charged one at designated stations may decrease the requirement for broad charging infrastructure.

Technological considerations:

Fast-Charging Stations: Deploying more fast chargers (such as Level 3 or DC fast chargers) is crucial in rural areas where lengthy distances between stations necessitate faster recharge periods.

Off-Grid Charging: Solutions such as solar-powered chargers can lessen dependency on traditional power infrastructure, making them perfect for rural or distant areas.

Mobile Charging Solutions: Companies could provide mobile charging vans or portable charging stations in distant places as a temporary solution until permanent infrastructure is constructed.

ESTABLISHING electric vehicle (EV): charging stations in remote areas might present both a barrier and an opportunity. Major concerns and stages for constructing electric vehicle charging infrastructure in remote areas:

1. Site Selection: Location Accessibility: Stations should be installed along highways, vital roadways, or near popular locations in rural areas, such as rest stations and tourist attractions. Proximity to Power Supply Choose places with access to a stable electricity grid or renewable energy sources such as solar or wind. Future-Proofing: Consider areas where EV traffic is expected to increase as adoption grows.

2. Location Selection: Finding the best places that are accessible, visible, and convenient for users can be difficult. High-traffic areas with easy access to amenities are excellent, but they may be subject to zoning or land-use limitations.

3. Grid Capacity: The local power grid must be capable of meeting the additional demand from many charging stations. Upgrades may be required, which can be expensive and time consuming.

4. Permitting & Regulations: Navigating the regulatory landscape can be difficult because permit, safety, and building code requirements varies between locations.

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

5. Technological Standards: A lack of standardization in charging standards.

6. Consumer Awareness: Educating potential customers about the availability and benefits of charging stations is critical to increasing usage

7. Maintenance and Reliability: Keeping charging stations operational and well-maintained is critical for user trust and convenience. Out-of-service stations may discourage EV adoption.

8. money and Incentives: Obtaining money and understanding various incentives can be challenging, particularly for private developers or small firms.

9. Competition and Market Saturation: As more companies enter the market, competition can cause oversaturation in specific regions, reducing profitability and station viability.

10. Range Anxiety: Addressing consumer worries about the availability and convenience of charging stations is critical to increasing EV adoption. To alleviate range anxiety, stations are often strategically placed.

India's Ministry of Power guidelines:

India's Ministry of Power and Ministry of Housing and Urban Affairs have issued guidelines and recommendations to promote the development of public charging infrastructure for electric vehicles (EVs). These include location criteria for charging stations, infrastructure requirements, land allocation, licensing and regulatory simplification, grid connection and energy supply, tariff and energy pricing, smart metering and digital payment, public-private partnerships (PPP), safety and standardization, public awareness and training, and promoting private sector participation. Public charging stations should be installed at intervals of 25 kilometres along highways and major roads in urban areas, with fast charging stations recommended for longer routes and highways. Facilities should be equipped for fast and slow charging, with provisions for different types of chargers. Land allocation should be encouraged by local bodies and urban planning authorities, with dedicated parking spaces for EV charging.

Licensing and regulatory simplification are also encouraged, with no specific license required for setting up a public charging station. Renewable energy sources like solar power should be integrated into the power supply to promote sustainability. Tariffs for electricity used at EV charging stations should be determined by state electricity regulatory commissions and some states may offer subsidized tariffs to incentivize usage. Smart metering and digital payment options should be integrated into the system for ease of payment. Public-private partnerships are encouraged for scalability, with private sector participation actively promoted. Safety standards must be adhered to, emphasizing fire prevention measures, proper signage, and adequate lighting at charging stations.

Discussion:

Although electric cars (EVs) have a lot to offer the environment, there are a few drawbacks when using them in rural areas. It can be challenging for drivers to recharge their EVs in rural areas because these areas frequently lack the infrastructure required for EV charging. Range anxiety is increased by long distances between available chargers. The electrical grid in some rural locations might not be strong enough to handle the additional burden of EV charging, particularly for fast-charging stations that need a lot of power. Frequent power outages or voltage fluctuations may occur in some rural areas, rendering EV charging consistent and unpredictable. Travel times to towns and services are usually longer in rural areas. Shorter range EVs might find it difficult to travel these distances, raising the possibility that they will run out of juice before arriving at a charging station. Generally speaking, rural areas have farther travel times between towns.

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

Shorter range EVs might find it difficult to travel these distances, raising the possibility that they will run out of fuel before arriving at a charging station. Rural residents might not be as familiar with EV technology, which could cause hesitation or false information regarding EV upkeep, charging, and functionality. The lack of specialized EV service centres in rural areas makes auto maintenance and repairs more difficult. Extreme weather conditions in rural areas, such as heat, cold, or hilly terrain, can lower the efficiency of EV batteries, resulting in shorter driving ranges and more frequent charging requirements. Rural communities might not have as much access to government subsidies or incentives for EVs and the infrastructure needed for charging them, which would make switching from conventional cars less alluring for locals.

Conclusion:

As electric vehicle sales are increasing day by day, our biggest concern is exhaustion of fossil fuel. The EV plays an important role in transport, but the biggest problem for EVs in rural areas is not having charging stations nearby. We have to travel some distance to reach the EV station as it is situated far away in rural areas, so we suggest the government help local people in rural areas to install the charging station for at least 10 Km. The government should help local people install the charging station.

References:

1. Y.-J. Lee, A. Khaligh, and A. Emadi, “Advanced integrated bidirectional ac/dc and dc/dc converter for plug-in hybrid electric vehicles,” Vehicular Technology, IEEE Transactions on, vol. 58, no. 8, pp. 3970–3980, 2009
2. Y.-J. Lee, A. Khaligh, and A. Emadi, “Advanced integrated bidirectional ac/dc and dc/dc converter for plug-in hybrid electric vehicles,” Vehicular Technology, IEEE Transactions on, vol. 58, no. 8, pp. 3970–3980, 2009
3. Y.-J. Lee, A. Khaligh, and A. Emadi, “Advanced integrated bidirectional ac/dc and dc/dc converter for plug-in hybrid electric vehicles,” Vehicular Technology, IEEE Transactions on, vol. 58, no. 8, pp. 3970–3980, 2009
4. . Dang, R. Kakimzhanov, M. Zhang, and A. Gholamzadeh, “Smart grid- oriented graphical user interface design and data processing algorithm proposal based on lab view,” in Environment and Electrical Engineering (EEEIC), 2014 14th International Conference on. IEEE, 2014, pp. 323–327.
5. Z. X. Ma, M. Zhang, S. Shaham, S. P. Dang, and J. Hart, “Literature review of the communication technology and signal processing method- ology based on the smart grid,” in Applied Mechanics and Materials, vol. 719. Trans Tech Publ, 2015, pp. 436–442.
6. S. Divyapriya, R. Vijayakumar et al., “Design of residential plug- in electric vehicle charging station with time of use tariff and iot technology,” in 2018 International Conference on Soft-computing and NetworkSecurity(ICSNS).IEEE,2018,pp.1–5.
7. M. Agrawal, M.S. Rajapatel. (2020, Jan). ”Global Perspective on Electric Vehicle 2020. International Journal of Engineering Research and Technology [Online]
8. Shell.(2020) Electric Vehicle Charging [Online]. Available:https://www.shell.com/energy-and-innovation/new-energies/electricvehicle-charging.html
9. Pal, Suresh Chavhan, Sanjeevikumar Padmanaban, Sayed Sayeed Ahmad, Baseem Khan “A Comprehensive Analysis of Electric Vehicle Charging Station Infrastructure in an Urban Area”
10. Zhang, X. Zhang, M. Zhang, and A. S.Edmonds,“Literature review of electric vehicle technology and its applications,” in 2016 5th International Conference on Computer Science and Network Technology (ICCSNT). IEEE, 2016, pp.832– 837.
11. S.Habib,M.M.Khan,F.Abbas,L.Sang,M.U.Shahid,andH.Tang,“A comprehensive study of implemented international standards, technical challenges, impacts and prospects for electric vehicles,” IEEE Access, vol. 6, pp. 13 866–13 890,2018.
12. https://bacancysystems.com/blog/types-of-ev-chargers

Cover Page

INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY EDUCATIONAL RESEARCH
ISSN:2277-7881; IMPACT FACTOR :9.014(2024); IC VALUE:5.16; ISI VALUE:2.286
UGC Approved (2017), Peer Reviewed and Refereed International Journal
Volume:13, Issue:10(2), October: 2024
Scopus Review ID: A2B96D3ACF3FEA2A
Article Received: Reviewed : Accepted
Publisher: Sucharitha Publication, India
Online Copy of Article Publication Available : www.ijmer.in

13. https://yocharge.com/faq/different-types-of-ev-charging-connectors-in-india/
14. https://cleartax.in/s/ev-charging-station-in-india

Photo credit:

1. https://en.m.wikipedia.org/wiki/File:Electric_car_charging_(ACEA_terminology).svg
2. https://en.m.wikipedia.org/wiki/File:Iec-type2-ccs-combo2-and-iec-type2-charging-connectors-side-by-side.jpg
3. https://e-amrit.niti.gov.in/going-electric
4. https://en.m.wikipedia.org/wiki/Electric_vehicle
5. https://images.app.goo.gl/mT95UTPS23HBm1x68