
POKKT Native Android SDK Developer API Guide

v2.0.6

Approval Form

THIS DOCUMENT MAY NOT BE REPRODUCED OR COPIED IN WHOLE OR IN PART

Document ID	PokktAndroidSDKDeveloper-PASD01
Revision Number	2.0.6
Created Date	13 November 2015
File Name	Pokkt SDK API Guide v2.0.6
Number of Pages	7
Status	Updated and Added additional Listeners
Revised Date	10 April 2015
Created By	Pokkt

Public class:

PokktManager (com.app.pokktsdk.PokktManager)

Purpose

Getting Instance of Pokkt SDK and executing various operations like launching offerwall, getting status of pending transaction, play video campaign, etc.

Public Constructors

None

Constants

```
String ACTION = "pokkt_receiver"  
String COINS_STATUS = "coin_status"  
String COINS = "coins"  
String TRANSACTION_ID = "transaction_id"  
String MESSAGES = "message"
```

Public methods

public static PokktManager getInstance(Context context)

Create instance of PokktManager to access pokkt sdk.

Method Parameters

context: Context of application or activity.

Returns

Instance of PokktManager

Example

```
PokktManager pokktManager = PokktManager.getInstance(this);
```

public static void setDebug(boolean debugMode)

To set debug mode on . By default, debug mode is *off*.

Method Parameters

debugMode: Whether app should be running in debug mode

Example

```
PokktManager.setDebug(true);
```

public void getCoins(Context context, boolean close_on_success_flag)

To get offerwall in webview along with value for each campaign.

Method Parameters

context: Context of application or activity.

close_on_success_flag: Whether SDK should close after finishing successful transaction

Example

```
pokktManager.getCoins(this,true);
```

public void getCoins(Context context, String asset_value, boolean close_on_success_flag)

To get offerwall in webview without value for each campaign as asset value is already specified in this method.

Method Parameters

context: Context of application or activity.

asset_value: asset value (virtual currency after applying conversion ratio) expected from any campaign

close_on_success_flag: Whether SDK should close after finishing successful transaction

Example

```
pokktManager.getCoins(this,"10",true);
```

public void getPendingCoins(Context context)

To get status of all pending transactions.

Method Parameters

context: Context of application or activity.

Example

```
pokktManager.getPendingCoins(this);
```

public void playVideoCampaign(boolean alsIncentivised, String aScreenName)

Play cached video campaign.

Method Parameters

alsIncentivised: To set whether user will be gratified or not.

aScreenName: Screen/Activity name or any other unique string value to identify.

Example

```
pokktManager.playVideoCampaign(true, "PokktSample");
```

public boolean isVideoAvailable()

Check whether video is cached on device.

Returns

Returns true if video is cached on device else returns false.

Example

```
boolean blsVideoAvailable = pokktManager.isVideoAvailable();
```

public float getVideoVc()

To get virtual currency (VC) value for cached video. This method should be used only in case of incentivized video.

Returns

Value if video is cached and incentivized or 0 otherwise.

Example

```
int videoValue = pokktManager.getVideoVc();
```

public void setSkipVideo(boolean shouldSkip)

To set skip video functionality while playing. By default, skip button is visible.

Method Parameters

shouldSkip: True for disable skip button.

Example

```
pokktManager.setSkipVideo(true);
```

public void setAge(String age)

This method is used to create user profile. Set age.

Method Parameters

age: value in String

Example

```
pokktManager.setAge("24");
```

public void setBirthday(String birthday)

This method is used to create user profile. Set birthday.

Method Parameters

birthday: value in String

Example

```
pokktManager.setBirthday("09/08/1990");
```

public void setEducation_Information(String education_information)

This method is used to create user profile. Set education information. (Optional)

Method Parameters

education_information: value in String

Example

```
pokktManager.setEducation_Information("B.E.");
```

public void setEmployment_Status(String employment_status)

This method is used to create user profile. Set employment status. (Optional)

Method Parameters

employment_status: value in String

Example

```
pokktManager.setEmployment_Status("I.T. Professional");
```

public void setFacebook_ID(String facebook_ID)

This method is used to create user profile. Set facebook ID. (Optional)

Method Parameters

facebook_ID: value in String

Example

```
pokktManager.setFacebook_ID("facebooksample.username");
```

public void setLocation(String location)

This method is used to create user profile. Set location. (Optional)

Method Parameters

location: value in String

Example

```
pokktManager.setLocation("Mumbai");
```

public void setMarital_Status(String marital_status)

This method is used to create user profile. Set marital status. (Optional)

Method Parameters

marital_status: value in String

Example

```
pokktManager.setMarital_Status("single");
```

public void setName(String name)

This method is used to create user profile. Set name. (Optional)

Method Parameters

name: value in String

Example

```
pokktManager.setName("My Name");
```

public void setNationality(String nationality)

This method is used to create user profile. Set nationality. (Optional)

Method Parameters

nationality: value in String

Example

```
pokktManager.setNationality("Indian");
```

public void setSex(String sex)

This method is used to create user profile. Set User gender. (Optional)

Method Parameters

sex: value in String

Example

```
pokktManager.setSex("Male");
```

public void setTwitter_Handle(String twitter_handle)

This method is used to create user profile. Set user's twitter id . (Optional)

Method Parameters

twitter_handle: value in String

Example

```
pokktManager.setTwitter_Handle("twittersample.username");
```

public void setPubs(String pubs[])

This method is used to create user profile. Set publisher's informations. (Optional)

Method Parameters

pubs: value in String list.

Example

```
String[] array={"My Name", "twittersample.username"};  
pokktManager.setPubs(array);
```

Public Interfaces:

DownloadCompleteListener (com.app.pokktsdk.DownloadCompleteListener)

Purpose

Set listener for downloading.

Public Methods

void onDownloadCompletion(float result)

Called when video downloading is completed.

Method Parameters

result: virtual currency value if any for video.

void onDownloadFailed(String message);

Called when video downloading has failed.

Method Parameters

message: error message for failure.

Example

```
pokktManager.setDownloadCompletionListener(new DownloadCompleteListener(){  
    @Override  
    public void onDownloadCompletion(float result) {  
        //operations you would like to perform on video download completion.  
    }  
  
    @Override  
    public void onDownloadFailed(String message) {  
        //operations you would like to perform on video download failure.  
    }  
});
```

VideoDisplayedListener (com.app.pokktsdk.VideoDisplayedListener)

Purpose

Set listener on video playback display.

Public methods

void onVideoDisplayed ()

Called when video is started.

Example

```
pokktManager.setVideoDisplayedListener(new VideoDisplayedListener() {  
    @Override  
    public void onVideoDisplayed() {  
        // Operations you would like to perform on video display  
    }  
});
```

VideoCompletedListener (com.app.pokktsdk.VideoCompletedListener)

Purpose

Set listener on video playback completion after full view.

Public methods

void onVideoPlayed()

Called when video playing is completed after full view.

Example

```
pokktManager.setVideoCompletedListener(new VideoCompletedListener() {  
    @Override  
    public void onVideoCompleted() {  
        // Operations you would like to perform on video playback completion  
        // In Sample app we are showing toast for the same.  
    }  
});
```

VideoSkippedListener (com.app.pokktsdk.VideoSkippedListener)

Purpose

Set listener on video playback is skipped.

Public methods

void onVideoSkipped ()

Called when video is skipped using skip button.

Example

```
pokktManager.setVideoSkippedListener(new VideoSkippedListener() {  
    @Override  
    public void onVideoSkipped() {  
        // Operations you would like to perform on video skipped  
    }  
});
```

VideoClosedListener (com.app.pokktsdk.VideoClosedListener)

Purpose

Set listener on video view is closed.

Public methods

void onVideoClosed ()

Called when video is closed after completion or skip or back button.

Example

```
pokktManager.setVideoClosedListener(new VideoClosedListener() {  
    @Override  
    public void onVideoClosed() {  
        // Operations you would like to perform on video closed  
    }  
});
```

VideoGratifiedListener (com.app.pokktsdk.VideoGratifiedListener)

Purpose

Set listener to know whether to gratify user.

Public methods

void onVideoGratified()

Called when video playing is completed and user is to be gratified for the view.

Example

```
pokktManager.setVideoGratifiedListener(new VideoGratifiedListener () {  
    @Override  
    public void onVideoGratified() {  
        // Operations you would like to perform if user is to be gratified for video view  
        // In Sample app we are checking for coin status to be 1 and accordingly  
        // giving coin to user.  
    }  
});
```

CoinResponseListener (com.app.pokktsdk. CoinResponseListener)

Purpose

Set listener to know whether to award coins to user for offerwall flow..

Public methods

void earnedCoins (int coins)

Called when coins are earned for app install etc and there is no transaction id.

void earnedCoins (int coins, String transaction_id)

Called when coins are earned for app install etc and there is associated transaction id.

requestFailed(String message)

Called when pending coins request resulted in no coins being earned.

Example

```
@Override  
public void earnedCoins(int coins) {  
    if (points == -1) {  
        // no points earned  
    } else {  
        // points earned  
    }  
}
```

```
@Override
public void earnedCoins(int coins, String transaction_id) {
    if (points == -1) {
        // no points earned with transaction_id

    } else {
        // points earned with transaction_id
    }
}
```

```
@Override
public void requestFailed(String message) {
    // no coins available with appropriate message.
}
```