

Getting Started with Pokkt SDK v7.0



1. Add "**PokktSDK.aar**" to your project.
2. Set **Application Id** and **Security Key** in Pokkt SDK. You can get it from Pokkt dashboard from your account. These are unique per app registered.

```
PokktAds.setPokktConfig("<Pokkt Application ID>", "<Pokkt Security Key>",  
"<Activity Context>");
```

3. Set the following to enable or disable omission of Pokkt logs and other informatory messages. Make sure to set it to false before release.

```
PokktAds.Debugging.shouldDebug("<Context Context>", <true>);
```

4. You can check if Ad is cached or not using

```
PokktAds.VideoAd.isAdCached("<ScreenName>", <true / false>);  
PokktAds.Interstitial.isAdCached("<ScreenName>", <true / false>);
```

5. Show **Video Ad** with one of the followings:

```
PokktAds.VideoAd.showRewarded("<ScreenName>");  
PokktAds.VideoAd.showNonRewarded("<ScreenName>");
```

6. Show **Interstitial Ad** with one of the followings:

```
PokktAds.Interstitial.showRewarded("<ScreenName>");  
PokktAds.Interstitial.showNonRewarded("<ScreenName>");
```

7. Show **Outstream Ad**

```
// scrollview  
PokktAds.OSAds.loadAdInContainer(getActivity(), scrollView, screenName,0,  
osDelegate);  
// listview  
PokktAds.OSAds.loadAdInContainer(getActivity(), listView, screenName, 5,  
osDelegate);  
// webview  
PokktAds.OSAds.loadAdInContainer(getActivity(), webView, screenName,0,  
osDelegate);  
//Step 1  
//Once page loading is finished then below method should be called.  
PokktAds.OSAds.initAgent(getActivity(), screenName); // step 2
```

8. For **Banner Ad**

- Define a container (PokktBannerView) for banner something like following:

```
<com.pokkt.sdk.banners.PokktBannerView  
    android:id="@+id/pokkt_banner_view_top"  
    android:layout_width="320dp"  
    android:layout_height="50dp"  
    android:layout_centerHorizontal="true"/>
```

- To load banner, use:

```
PokktAds.Banner.loadBanner("<screenName>", <pokktBannerView>);
```

Check [POKKT_SDK_Integration_Guide\(_v7.0_Native_Android\)](#) for detailed information.



- Use the following to destroy banner:

```
PokktAds.Banner.destroy(<pokktBannerView>);
```

9. Implement ***PokktAds.VideoAd.VideoAdDelegate*** to listen to video-ad related messages.
10. Implement ***PokktAds.Interstitial.InterstitialDelegate*** to listen to interstitial-ad related messages.
11. Implement ***PokktAds.Banner.BannerAdDelegate*** to listen to banner-ad related messages.
12. We recommend caching of video-ads for better user experience, you can cache an ad using the followings:

```
PokktAds.VideoAd.cacheRewarded("<ScreenName>");  
PokktAds.VideoAd.cacheNonRewarded("<ScreenName>");
```