

## Leadbolt Pokkt Mediation

Pokkt SDK version used: - 7.5.1

Leadbolt SDK version used: - 9.0

- 1. Common Steps for Leadbolt Pokkt Mediation:** This is common documentation which is useful for all plugin.
- 2. Native Integration:** Check the Steps Mentioned for Native.

# Common Steps for Leadbolt Pokkt Mediation

## Prerequisites


- Create account and Login at <https://portal.leadbolt.com/p/login>
- Add an app in Leadbolt dashboard.

## GDPR

- LeadBolt will not serve ads if User has denied the GDPR consent to get personalised ads.

## Step 1: Configure Pokkt Dashboard

- Create account and Login at <http://www.pokkt.com>.
- Register your app here if not registered.
- To use the Leadbolt Mediation, enter the following details on Pokkt Dashboard:



- **Api Key (required)** : Create or sign into your Leadbolt account and retrieve the Leadbolt api key. Same need to provide here.
- **Class Name (required)** : This is the class name that you define inside your application to set up the network. Classname for the network can be set during SDK integration. If you are using Pokkt's default adaptors for mediation which is given in PokktMediation.jar, then class name will be com.pokkt.thirdparty.LeadboltNetwork.
- **ECPM** : Put your expected value of ECPM which will in turn rank this network in comparison to other configured networks.

**LEADBOLT**
[Download Leadbolt App SDKs](#)
[Access Help/FAQs](#)
kanchan kumar - ID: 10104807

**PUBLISHER TOOLS**

- Dashboard
- Apps**
- Reporting

**LEADBOLT +**

- Native Ads
- Advertise

Revenue - Today  
\$0.00

Revenue - Yesterday  
\$0.00

Revenue - Last 7 Days  
\$0.00

Revenue - This Month  
\$0.00

Revenue - Last Month  
\$0.00

**APPS**

[Create New App](#)

Stats For: Today

Show Apps: All But Deleted

Order By: Revenue Desc.

	Views/Imps	Clicks	Top eCPM	Revenue
<b>SampleApp</b> Updated: 03/22/2017   ID: 265640 Test Mode API Key: yF1AzndzEWfbYc1r2KMD2oJJhh18Tfwa	0	0	--	\$0.00
<b>testsampleapp</b> Updated: 03/14/2018   ID: 265711 Test Mode API Key: V6QJTpDmCzkWU43Z5i3USTlhSx1Fn40y	0	0	--	\$0.00

Page 1 of 1 (Total 2 records)
Records per page: 20

- **Reporting (Required):** Enter Publisher Id and Secret key by getting from your Leadbolt account.

**LEADBOLT**
[Download Leadbolt App SDKs](#)
[Access Help/FAQs](#)
kanchan kumar - ID: 10104807

**PUBLISHER TOOLS**

- Dashboard
- Apps
- Reporting

**LEADBOLT +**

- Account Settings
- Referral Program
- Account History
- Request Payments

Account
Help / FAQs
Logout

**REPORTING API ACCESS**

Summary reporting data is available via API in JSON or XML format. Your access parameters are detailed below:

**Publisher ID:** 10104807

**Secret Key:** 1f02fdf22c928287

---

## Step 2: Configuration in Application (Native)

- Download the mediation project from POKKT and it is suggested to use the same class file **LeadboltNetwork** (LeadboltNetwork.java ) in your project. You have the option to make changes to these classes, in-fact you can create your own custom adaptor for Leadbolt using our protocol, just make sure to mention the exact name of class in the “class name” box, refer the [Step 1](#).
- Add the “**AppTracker.jar**” file into your project. Make sure to update your project's dependencies accordingly.
- Refer Leadbolt integration document at <https://help.leadbolt.com/android-integration-guide/>
- Add the necessary permissions for Leadbolt as suggested in Leadbolt integration document to your application manifest.
- Add the recommended **activities** and **service** to your **AndroidManifest.xml** as suggested in Leadbolt integration guide.
- Add the necessary proguard details as suggested in Leadbolt integration guide if your app needs it.