

Flurry Pokkt Mediation

Pokkt SDK version used: **6.2**

Flurry SDK version used: **8.2.1**

Prerequisites

- Please create account at <https://dev.flurry.com> and add your application.
- Please read instructions at <https://developer.yahoo.com/flurry/docs/integrateflurry/ios/> to understand integration of iOS application with Flurry.

Step 1: Configure Pokkt Dashboard

- Create Account at <http://www.pokkt.com>
- Register your App here, then go in “Ad Network Settings” and add the data according to you like Api Key, Class name, Rewarded currency name and reward.
- To use the Flurry Mediation please enter the following details on Pokkt Dashboard:

Flurry !


Configuration

API Key	<input type="text" value="BSXSF43Y4H7PRYFT4JZ5"/>		
ClassName	<input type="text" value="com.pokkt.thirdparty.FlurryNetwork"/>		
Reward Amount	<input type="text" value="5"/>		
ECPM	<input type="text" value="1"/>		

Screens

BannerAd	<input type="text" value="BannerAd"/>	Incent <input type="checkbox"/>	Non Incent <input checked="" type="checkbox"/>
BannerAd1	<input type="text" value="Enter network sc"/>	Incent <input type="checkbox"/>	Non Incent <input type="checkbox"/>

- **Class Name (required):** This is the class name that you define inside your application to set up the network. Classname for the network can be set during SDK integration. If you are using Pokkt’s default adaptors for mediation, then class name will be “FlurryNetwork” (you can simply copy-paste it without the quotes).



The screenshot shows the Flurry dashboard interface. The top navigation bar includes the Flurry logo, Metrics, Explorer, App Publishing (selected), Developer, and Admin. The left sidebar shows Reporting and Applications & Ad Units. The main content area is titled 'Applications & Ad Units' and features a '+ Ad Unit' button and a 'Show All Application' link. Below this is a table listing applications and their ad units.


Application Name	Ad Units	API Key
> FlurrySample	3	SYND27X8MFYN9SCN6N5H
▼ SampleApp	3	BSXSF43Y4H7PRYFT4JZ5

Ad Unit	Ad Unit ID	Placement
BannerAd	181637	Banner Top
NonRewardedAd	181767	Full Screen
RewardedAd	130906	Full Screen

- **Api Key (required):** Login to your Flurry account. The Api Key is located in manage section.
- **Virtual Currency(required):** Provide reward value which user will get after the reward ad. This is the same value which you provide in Flurry dashboard.

Tuesday, 24 January 2017

- **Screens:** Pokkt screens should be mapped with Flurry Ad units.
- **Screen Creation:** For creating screen name, create screen name in Pokkt dashboard. Please check



below screen shot.

- **ECPM (required):** Put your expected value of ECPM which will in turn rank this network in comparison to other configured networks.
- Enter Reporting API Auth Token from your Flurry account. To generate the auth token, follow instructions at <https://developer.yahoo.com/flurry/docs/api/code/apptoken/>

Step 2: Configuration in Application

- Download the mediation project from POKKT and it is recommended to use the same class file **FlurryNetwork** in your project. And if you want to do some changes please do those changes in same file.
- Add the “**Flurry SDK**” file into your project. Make sure to update your project's dependencies accordingly. Add the necessary permissions for Flurry as suggested in Flurry integration document to your application.