

Flurry Pokkt Mediation

Pokkt SDK version used: **7.5.0**

Flurry SDK version used: **9.2.3(GDPR Compliance)**

Prerequisites

- Please create account at <https://dev.flurry.com> and add your application.
- Please read instructions at <https://developer.yahoo.com/flurry/docs/integrateflurry/ios/> to understand integration of iOS application with Flurry.

Step 1: Configure Pokkt Dashboard

- Create Account at <http://www.pokkt.com>
- Register your App here, then go in “Ad Network Settings” and add the data according to you like Api Key, Class name, Rewarded currency name and reward.
- To use the Flurry Mediation please enter the following details on Pokkt Dashboard:

Flurry !

Configuration

API Key	BSXSF43Y4H7PRYFT4JZ5		
ClassName	com.pokkt.thirdparty.FlurryNetwork		
Reward Amount	5		
ECPM	1		

Screens

BannerAd	BannerAd	Incent <input type="checkbox"/>	Non Incent <input checked="" type="checkbox"/>
BannerAd1	Enter network sc	Incent <input type="checkbox"/>	Non Incent <input type="checkbox"/>

- **Class Name (required):** This is the class name that you define inside your application to set up the network. Classname for the network can be set during

SDK integration. If you are using Pokkt's default adaptors for mediation, then class name will be "FlurryNetwork" (you can simply copy-paste it without the quotes).


- **Api Key (required):** Login to your Flurry account. The Api Key is located in manage section.

Application Name	Ad Units	API Key
> FlurrySample	3	SYND27X8MFYN9SCN6N5H
▼ SampleApp	3	BSXSF43Y4H7PRYFT4JZ5

Ad Unit	Ad Unit ID	Placement
BannerAd	181637	Banner Top
NonRewardedAd	181767	Full Screen
RewardedAd	130906	Full Screen

- **Virtual Currency(required):** Provide reward value which user will get after the reward ad. This is the same value which you provide in Flurry dashboard.

- **Screens:** Pokkt screens should be mapped with Flurry Ad units.
- **Screen Creation:** For creating screen name, create screen name in Pokkt dashboard. Please check below screen shot.



- **ECPM (required):** Put your expected value of ECPM which will in turn rank this network in comparison to other configured networks.
- Enter Reporting API Auth Token from your Flurry account. To generate the auth token, follow instructions at <https://developer.yahoo.com/flurry/docs/api/code/apptoken/>

Step 2: Configuration in Application

- Download the mediation project from POKKT and it is recommended to use the same class file **FlurryNetwork** in your project. And if you want to do some changes please do those changes in same file.
- Add the “**Flurry SDK**” file into your project. Make sure to update your project's dependencies accordingly. Add the necessary permissions for Flurry as suggested in Flurry integration document to your application.