

### EXPOSED WALL-MOUNT BATH SHOWER MIXER K-74036T-4



#### Features

- Solid metal construction
- G 1/2" thread connection
- Durable KOHLER finishes resist corrosion and tarnishing
- Leak-free ceramic disc valve with lifetime warranty
- Includes handshower
- Includes 5 function handshower (K-74036T-4-BL)
- Lever handle
- Compliments most Kohler product lines

#### Codes/Standards Applicable

Specified model meets or exceeds the following:

- TIS 2066-2552
- GB 18145-2014


#### Installation Notes

Install this product according to the installation guide.


#### Specified Model

| Model    | Description                               | Colors/Finishes   |        |
|----------|-------------------------------------------|-------------------|--------|
| K-74036T | Taut exposed wall-mount bath shower mixer | CP: Polish chrome | Others |


For a full range of color finishes in your market please contact your local Kohler representative.



**Flow Curve Bath Spout**




**Flow Curve Handshower**



**Flow Curve Handshower for BL**

Note: Flow rates are approximate, (1 gallon = 3.785 liters, 1 bar = 14.5 psi)

Dimensions are approximate.  
Unit: mm



Note: The recommended dimension for installation can be adjusted according to user preferences and layout.

## Product Diagram

## คุณลักษณะ

- ผลิตจากโลหะ
- เกสียวข้อต่อ G1/2 นิ้ว
- วัสดุเคลือบผิวพิเศษของโคห์เลอร์ คงทน เงางาม
- เซรามิกวาล์วป้องกันการรั่วซึม รับประกันตลอดอายุการใช้งาน
- พร้อมหัวฝักบัวสายอ่อน
- พร้อมหัวฝักบัวสายอ่อนปรับสายน้ำได้ 5 ระดับ (K-74036T-4-BL)
- มือบิดแบบก้านโยก
- เหมาะกับผลิตภัณฑ์ส่วนใหญ่ของโคห์เลอร์

## มาตรฐาน

คุณสมบัติตามมาตรฐาน :

- มอก. 2066-2552
- GB 18145-2014

## ข้อสังเกตสำหรับการติดตั้ง

ติดตั้งผลิตภัณฑ์โดยใช้คู่มือแนะนำการติดตั้ง


## ก๊อกผสมลงอ่างอาบน้ำและยืนอาบ แบบติดผนังพร้อมฝักบัวสายอ่อน K-74036T-4




## รุ่นผลิตภัณฑ์

| รุ่น     | ชื่อผลิตภัณฑ์                                                    | สี/วัสดุเคลือบผิว      |
|----------|------------------------------------------------------------------|------------------------|
| K-74036T | ก๊อกผสมลงอ่างอาบน้ำและยืนอาบแบบติดผนังพร้อมฝักบัวสายอ่อน รุ่นทอช | CP: สีโครมเงา    อื่นๆ |


ตรวจสอบ สี/วัสดุเคลือบผิวผลิตภัณฑ์จากตัวแทนจำหน่ายโคห์เลอร์ในประเทศของท่าน



กราฟแสดงอัตราการไหล ก๊อกลงอ่าง



กราฟแสดงอัตราการไหล ฝักบัวสายอ่อน




กราฟแสดงอัตราการไหล ฝักบัวสายอ่อน สำหรับ BL

หมายเหตุ: อัตราการไหลค่าโดยประมาณ (1 แกลลอน = 3.785 ลิตร, 1 บาร์ = 14.5 ปอนด์ต่อตารางนิ้ว)

ขนาดระยะแสดงค่าโดยประมาณ

หน่วย: มม.



หมายเหตุ: ระยะแนะนำการติดตั้งสามารถปรับได้ตามความเหมาะสมของผู้ใช้งานและพื้นที่ติดตั้ง

## ภาพแสดงผลิตภัณฑ์