

# LPT 613 Ex LHD



# Specifications and features

FEATURES	LPT 613 Ex LHD		
	<b>Type</b>	Water-cooled direct injection diesel engine with inter-cooler	
	<b>Max engine output</b>	95 Kw @ 2400 rpm	
	<b>Max torque</b>	416 Nm @ 1400-1700 rpm	
	<b>Capacity</b>	5675 cc	
	<b>Emission norms</b>	Euro II	
<b>GEARBOX</b>	<b>Model</b>	GBS-40 synchromesh	
	<b>No of gears</b>	5 forward 1 reverse	
<b>SUSPENSION</b>	<b>Type</b>	Semi elliptical leaf spring at front and rear with auxiliary springs at rear only	
	<b>Shock absorber</b>	Hydraulic double-acting telescopic type at front and rear	
<b>FRAME</b>		Ladder type frame with riveted / bolted cross members, side members are of channel section, depth: 200 mm (max) width: 60 mm	
<b>BRAKES</b>	<b>Service brake</b>	Dual circuit full air S-CAM brake	
<b>CLUTCH</b>	<b>Type</b>	Single plate dry friction type	
<b>CHASSIS DIMENSION</b>	<b>Wheel base (mm)</b>	3400	3800
	<b>Overall Length</b>	6210	6860
	<b>Max Width</b>	2155	2155
<b>STEERING</b>		Power	
<b>TYRES</b>	<b>No</b>	6+1	
	<b>Size</b>	7.50 x 16-16 PR	

<b>WEIGHTS</b>	<b>Kerb weight (kg)</b>	3470 (CLB)	3570 (CLB)
	<b>GVW (kg)</b>	7250	7250
<b>PERFORMANCE CHARACTERISTICS</b>	<b>Speed</b>	112	
	<b>Gradeability</b>	31%	
	<b>Minimum turning circle diameter in mm</b>	13	14.5

**For more information, please contact:**

**TATA MOTORS**

International Business, One Indiabulls, Tower  
2A, 14th Floor 841, S.B Marg, Elphinstone Road,  
Mumbai 400013