MANLIFT O



Taking You to New Heights Safely

The Lift You Need

Manlift provides safe and efficient solutions for working at height. At Manlift we are committed to always delivering the best customer experience. With our many years of experience in all environments and across a wide range of industries, we can say with confidence that we are the leading aerial work platforms specialist in the Middle East, the GCC, and Asia.

We have a fleet of more than 2,500 Aerial Work Platforms (AWPs) suitable for providing access to heights ranging from 5 meters to 58 meters, with over 100 different models, including scissor and boom lifts, spider lifts, and telehandlers. And we can customize equipment to meet your specific requirements; for example, by converting diesel-powered machines to electric for indoor use, or by providing special working baskets for work in confined spaces.

All the machines in our fleet are produced by leading manufacturers such as JLG, Genie and Teupen, strictly adhere to manufacturer maintenance standards, and are CE spec.

So whatever your requirements for working at height, you can be certain that we can meet all your needs and deliver the best customer experience.

Our Service Solutions

Our goal is to maximize your "up time" against the lowest cost possible, so that you can achieve greater business success. We understand how important it is for you to complete your work safely and effectively. That's why we provide you with expert advice and technical experts who can consult with you on the choice of the right machine for the job.

With our Sales, Support & Service Team, we work closely with you on the effective management of your powered access equipment, including long-term technical support and risk analysis. We also have a toll-free hotline to support you 24/7. All our technicians are manufacturer-trained to ensure you of the highest level of safety, productivity and efficiency on all applications.

We offer Track and Trace Technology to our loyal customers to guarantee efficient management and accurate tracking of machines along with Smart Cards that ensure that access is limited to authorized personnel in possession of a pin code. In addition, Manlift provides an online web service that allows customers to view their machine locations for an added measure of security.

Furthermore, we provide customized solutions such as power supply in the aerial platform with the installation of battery charge stations and a system to quickly replace the batteries, as well as secondary guard devices and safety bumper guards to increase safety, minimize work-related injuries, and protect walls and equipment throughout your facilities.

To better meet customer demands for sustainable solutions, Manlift has converted three of its most popular telescopic booms from diesel to electric power: the 26 meter JLG 800AJ articulated boom, the 28 meter JLG 860SJ, and the 38 meter JLG 1200SJP telescopic boom are now available in battery powered versions that produce zero emissions and have noise levels below 70Dba, making them suitable for indoor use with no restrictions. And best of all, these modifications have no impact at all on the working envelope of the machines. For more information please find attached to this brochure our special leaflet on all-electric booms offered by Manlift.

Manlift offers complete turnkey AWP solutions for major projects to guarantee our customers the highest level of productivity, safety and efficiency, adapted to any and all challenging environments, whatever the conditions. We understand those challenges as well as the pressure of the tight time schedules that our customers often face. That is why Manlift strives to provide equipment that is resilient enough to take on the hardest jobs without disruption, to maximize your time on the job.

The Manlift Way

To ensure that we always deliver the best customer experience, we've implemented efficiency measures focusing on continuous improvement at all stages of the rental cycle. And as a result, our customers benefit in terms of:

Safety
Fast pick up

Machine availability High machine uptime



One essential feature of this approach – which we call the "Manlift Way" – is that it enables us to constantly monitor and improve key performance indicators across our entire network of its depots, again with the aim of delivering the best customer experience.



Tap into our extensive network

Manlift is already a market leader in AWP rentals in the UAE, Qatar and India. And by taking full advantage of the extensive network of our parent company in Europe, we are also able to offer safe access across 16 countries.

Indeed, by continuously investing in our team, quality service, and innovation, we have become a leading international rental player, and working together with strategic partners where we do not have our own operations yet, we are capable of meeting the needs of customers anywhere in the world.

Even when they are working on projects far from home, our customers always have the same trusted contact person as in their home country. Customers with international operations can arrange both local contracts, and also a central contract for their global operations. We take great pride in building strong partnerships with our customers, based on the quality of our products and services and the depth of our understanding of our customers' needs. Though we have grown into an international player with global exposure, we haven't lost sight of the importance of working closely with our partners and delivering fast service, reliability, and quality to every customer, wherever they may require our equipment.

Operator Safety and Efficiency

Manlift attaches paramount importance to working safely and efficiently at height. Accordingly, we appreciate how important it is for your employees to receive adequate training.

And are very pleased to say that our emphasis on training has not gone unnoticed. Manlift Middle East was honored during the International Awards for Power Access (IAPA) Summit 2017 as "IPAF Training Centre of the Year" by the International Powered Access Federation (IPAF). That commitment to quality training is reflected in the resources we've made available: our certified training center at our home base in the UAE, additional IPAF accredited training centers in Qatar and India, and the first bilingual senior instructor (English and Hindi) working out of Qatar.

With our certified IPAF training centers we are able to provide our customers with tailored training courses, including courses at your facilities or on your project site. In addition to the essential 'Working Safely with Aerial Work Platforms' training program, we also offer courses on:









- Aluminum Mobile Access Towers
 - Aldifilialli Mobile Access Towe
- MEWPs for Managers

- 🦰 Demonstrator Training, Operator Training
- Harness & Safety Training, Load and Unload Training

Damage Protection Plan

Of course, even when you take all the precautions, accidents and machine breakdowns do still happen, which means that damage to rented Manlift equipment can still occur. With the Manlift Damage Protection Plan, however, our customers can limit their liability for any such damage. For more information on the Damage Protection Plan, please get in touch with our Sales Person.



Our Commitments











Safety

All machines are well maintained and checked after use and before delivery

On-time

On time delivery and fast pick up of machines

Machine Availability

Always the right machine available for the job

Uptime

A young, high quality fleet and quick field service resolution time

Expertise

Get personal advice from the expert. We provide innovative customized solutions



| Working Heights | Machine Width | Gross Weight |
|-----------------|---|--|
| 58.56 m | 2.49 m | 27352 kg |
| 43.15 m | 2.49 m | 20,411 kg |
| 38.58 m | 2.49 m | 18,552 kg |
| 28.21 m | 2.49 m | 16,511 kg |
| 27.9 m | 2.49 m | 17,236 kg |
| 22.31 m | 2.49 m | 13,119 kg |
| 21.80 m | 2.49 m | 10,102 kg |
| 16.00 m | 2.31 m | 7,425 kg |
| 47.72m | 2.49m | 21,772 kg |
| | 58.56 m 43.15 m 38.58 m 28.21 m 27.9 m 22.31 m 21.80 m 16.00 m | 58.56 m 2.49 m 43.15 m 2.49 m 38.58 m 2.49 m 28.21 m 2.49 m 27.9 m 2.49 m 22.31 m 2.49 m 21.80 m 2.49 m 21.80 m 2.31 m |

Diesel Articulated Booms

43.15 m

40.00 m

25.77 m

Models

Z135/70

1250 AJP

800 AJ

Z80/60

600 AJ

Z60/34

450 AJ

510 AJ



2.35 m

2.26m





| Models | Working Heights | Machine Width | Gross Weight |
|---------------|-----------------|---------------|--------------|
| E600 JP | 20.39 m | 2.41 m | 7,144 kg |
| E 450 AJ | 15.72 m | 1.75 m | 6,532 kg |
| E 400 AJ | 14.19 m | 1.75 m | 6,214 kg |
| UpRight AB 38 | 13.5m | 1.50m | 3,760 kg |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Electric Scissor Lifts



5,737 kg

7,685 kg

| Models | Working Heights | Machine Width | Gross Weight |
|----------|-----------------|---------------|--------------|
| 4069 LE | 14.2 m | 1.75 m | 4,790 kg |
| 3247 ES | 11.75 m | 1.19 m | 2,700 kg |
| GS 3246 | 11.75 m | 1.17 m | 2,364 kg |
| 3246 ES | 11.6 m | 1.2 m | 2,243 kg |
| X32 | 11.6 m | 1.22 m | 2,486 kg |
| GS 2646 | 9.92 m | 1.17 m | 1,956 kg |
| 2646 ES | 9.92 m | 1.17 m | 2,257 kg |
| X26 | 9.76 m | 1.22 m | 2,153 kg |
| GS1932 | 7.79 m | 0.81 m | 1,498 kg |
| MEC 1932 | 7.79 m | 0.80 m | 1,388 kg |

Crawler **Mounted Spider Lifts**



| Models | Working Heights | Machine Width | Gross Weight |
|-------------|-----------------|---------------|--------------|
| LEO 36 T | 35.50 m | 1.58 m | 4,900 kg |
| OMME 2600RD | 25.80 m | 1.10 m | 3,625 kg |
| LEO 23GT | 23.00 m | 0.98 m | 2,990 kg |
| JLG X20J+ | 20.05 m | 1.48 m | 2,880 kg |
| LEO 16 GT | 16.00 m | 0.94 m | 2,100 kg |
| | | | |
| | | | |

Diesel Scissor Lifts



| Models | Working Heights | Machine Width | Gross Weight |
|---------|-----------------|---------------|--------------|
| H 195 | 21.40 m | 2.44 m | 11,990 kg |
| 5390 RT | 18.15 m | 2.29 m | 7,534 kg |
| 4394 RT | 15.11 m | 2.39 m | 6,940 kg |
| 4390 RT | 15.11 m | 2.29 m | 6,641 kg |
| 3390 RT | 12.06 m | 2.29 m | 6,241 kg |
| 3394 RT | 12.06 m | 2.39 m | 5,403 kg |
| 260 MRT | 9.92 m | 1.75 m | 3,338 kg |



www.manliftgroup.com







Manlift Middle East LLC Dubai Head Office

Dubai Investment Park
P.O. Box 213645, Dubai, UAE
Tel: +971 4 885 6065
Fax: +971 4 885 6034
info@manliftgroup.com
TOLL FREE: 800MANLIFT

Manlift Middle East LLC Abu Dhabi Branch

MW-4 (Plot No. 59), Musaffah P.O. Box 95024, Abu Dhabi, UAE Tel: +971 2550 2621 Fax: +971 2550 2623 info@manliftgroup.com TOLL FREE: 800MANLIFT

Manlift Qatar LLC

Salwa Road, Zone 56 Building No. 349, Street 340 P.O. Box 23135, Doha, Qatar Tel: +974 4411 6891 Fax: +974 4481 6219 Info@manliftgroup.com TOLL FREE: 8000128

Manlift India Private Limited

C-38, Phase 2 Noida - 201305 Uttar Pradesh, India Tel: +91 120 455 6342-48 Fax: +91 120 455 8999 info@manliftgroup.com